

## 座標面積計算書 2 (倍横距法)

[ 地番: 25-1(1) ]	地目:									
点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
2B 30	64-40-07	33.972	230-59-35	-21.382	-26.399	105489.599	6361.595	-26.399	564.462700	
2B 29	180-03-11	19.968	115-39-42	-8.648	17.999	105480.951	6379.594	-34.798	300.916825	
2B 28	179-10-40	18.609	115-42-53	-8.074	16.766	105472.877	6396.360	-0.033	0.268907	
2B 27	180-04-09	19.947	114-53-33	-8.396	18.095	105464.481	6414.455	34.827	-292.413881	
2B 26	181-02-21	19.616	114-57-42	-8.279	17.784	105456.202	6432.239	70.705	-585.319756	
2B 25	180-25-48	12.763	116-00-03	-5.595	11.471	105450.607	6443.710	99.960	-559.286564	
2B 24	180-01-16	5.562	116-25-51	-2.476	4.981	105448.131	6448.691	116.412	-288.215031	
2B 23	180-27-11	4.194	116-27-07	-1.868	3.754	105446.263	6452.445	125.148	-233.791463	
2B 22	180-46-10	9.585	116-54-18	-4.337	8.548	105441.926	6460.993	137.450	-596.161501	
2B 21	180-44-58	9.728	117-40-28	-4.518	8.615	105437.408	6469.608	154.613	-698.583834	
2B 20	180-58-40	9.748	118-25-26	-4.640	8.573	105432.768	6478.181	171.801	-797.127003	
2B 19	181-10-01	9.736	119-24-06	-4.780	8.482	105427.988	6486.663	188.856	-902.711100	
2B 18	181-11-40	9.123	120-34-07	-4.640	7.855	105423.348	6494.518	205.194	-952.063911	
2B 17	181-20-04	10.335	121-45-47	-5.440	8.788	105417.908	6503.306	221.836	-1206.874375	
JK.1	179-58-28	3.393	123-05-51	-1.853	2.842	105416.055	6506.148	233.466	-432.553783	
2B 16	181-21-03	6.379	123-04-19	-3.481	5.346	105412.574	6511.494	241.654	-841.248641	
2B 15	180-57-15	6.706	124-25-22	-3.791	5.532	105408.783	6517.026	252.532	-957.386567	
2B 14	180-56-29	3.047	125-22-37	-1.764	2.484	105407.019	6519.510	260.548	-459.605457	
2B 13	181-37-21	9.146	126-19-06	-5.417	7.369	105401.602	6526.879	270.402	-1464.730167	
2B 12	181-40-53	10.330	127-56-27	-6.352	8.147	105395.250	6535.026	285.918	-1816.008702	
2B 11	181-41-56	9.121	129-37-20	-5.816	7.026	105389.434	6542.052	301.091	-1751.388506	
2B 10	114-39-28	2.009	131-19-16	-1.327	1.509	105388.107	6543.561	309.625	-410.794308	
1B 1	66-27-23	27.437	65-58-44	11.168	25.061	105399.275	6568.622	336.195	3754.849270	

座標面積計算書 2 (倍橫距法)

点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
1B 22	178-53-29	3.299	312-26-07	2.227	-2.435	105401.502	6566.187	358.820		798.779455
1B 21	178-12-26	10.339	311-19-36	6.827	-7.765	105408.329	6558.422	348.621		2380.244159
1B 20	178-24-30	10.338	309-32-02	6.581	-7.973	105414.910	6550.449	332.883		2190.583259
1B 19	178-29-46	10.330	307-56-32	6.351	-8.147	105421.261	6542.302	316.763		2011.945117
1B 18	178-57-04	10.346	306-26-18	6.145	-8.323	105427.406	6533.979	300.294		1845.306359
1B 17	178-55-36	3.049	305-23-22	1.766	-2.486	105429.172	6531.493	289.485		511.242836
1B 16	178-54-59	7.314	304-18-58	4.124	-6.041	105433.296	6525.452	280.958		1158.438688
1B 15	178-32-11	10.353	303-13-57	5.674	-8.660	105438.970	6516.792	266.257		1510.758060
1B 14	178-47-27	10.357	301-46-08	5.453	-8.805	105444.423	6507.987	248.791		1356.684856
1B 13	178-52-23	9.728	300-33-35	4.946	-8.378	105449.369	6499.609	231.608		1145.603753
1B 12	179-02-15	10.358	299-25-58	5.090	-9.020	105454.459	6490.589	214.210		1090.282245
1B 11	179-13-34	10.356	298-28-13	4.936	-9.104	105459.395	6481.485	196.086		967.996330
1B 10	179-06-51	10.361	297-41-47	4.816	-9.174	105464.211	6472.311	177.808		856.294389
1B 9	179-42-27	10.345	296-48-38	4.666	-9.233	105468.877	6463.078	159.401		743.767675
1B 8	179-26-11	9.718	296-31-05	4.339	-8.696	105473.216	6454.382	141.473		613.848336
1B 7	180-25-51	12.152	295-57-16	5.319	-10.926	105478.535	6443.456	121.850		648.067217
1B 6	180-00-19	27.339	296-23-07	12.149	-24.491	105490.684	6418.965	86.432		1050.120700
1B 5	179-07-34	12.767	296-23-26	5.675	-11.437	105496.359	6407.528	50.505		286.605635
1B 4	237-42-59	20.907	295-31-00	9.007	-18.868	105505.366	6388.660	20.200		181.929961
D16	57-45-36	5.655	353-13-59	5.615	-0.666	105510.981	6387.994	0.666		3.741592
								倍面積		10726.473774
								面積		5363.2368874

## 座標面積計算書2 (倍横距法)

[ 地番: 25-1(2) 点名 ]	地目: 水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X) (Y+Y)
2B 10	66-01-27	27.437	245-58-44	-11.168	-25.061	105388.107	6543.561	-25.060	279.891090
D1-5	181-05-52	14.361	132-00-11	-9.610	10.672	105378.497	6554.233	-39.449	379.094826
D1-4	181-14-24	3.460	133-06-03	-2.364	2.526	105376.133	6556.759	-26.251	62.064785
14B 28	180-10-41	2.018	134-20-27	-1.411	1.443	105374.722	6558.202	-22.282	31.428879
14B 45	180-00-00	1.245	134-31-08	-0.872	0.888	105373.850	6559.090	-19.951	17.412133
14B 27	181-43-06	6.029	134-31-08	-4.227	4.299	105369.623	6563.389	-14.765	62.408691
14B 26	181-35-24	9.720	136-14-14	-7.020	6.723	105362.603	6570.112	-3.743	26.275094
14B 25	181-36-56	9.644	137-49-38	-7.148	6.474	105355.455	6576.586	9.455	-67.578115
14B 24	181-37-23	9.635	139-26-34	-7.320	6.265	105348.135	6582.851	22.194	-162.473644
14B 23	181-40-15	9.648	141-03-57	-7.505	6.063	105340.630	6588.914	34.523	-259.094329
14B 22	181-38-08	9.638	142-44-12	-7.671	5.836	105332.959	6594.750	46.421	-356.081051
14B 21	181-37-06	9.645	144-22-20	-7.839	5.618	105325.120	6600.368	57.875	-453.701551
14B 20	181-39-56	9.653	145-59-26	-8.002	5.399	105317.118	6605.767	68.893	-551.260935
14B 19	181-35-45	9.664	147-39-22	-8.165	5.171	105308.953	6610.938	79.462	-648.801112
14B 18	181-42-37	9.630	149-15-07	-8.276	4.923	105300.677	6615.861	89.556	-741.170073
14B 17	181-33-41	9.602	150-57-44	-8.395	4.661	105292.282	6620.522	99.140	-832.311214
14B 16	181-41-15	9.682	152-31-25	-8.590	4.467	105283.692	6624.989	108.268	-930.052531
14B 15	181-35-50	9.624	154-12-40	-8.666	4.187	105275.026	6629.176	116.922	-1013.178103
14B 14	181-37-13	9.655	155-48-30	-8.807	3.957	105266.219	6633.133	125.066	-1101.494982
14B 13	181-42-20	9.614	157-25-43	-8.877	3.690	105257.342	6636.823	132.713	-1178.109521
14B 12	181-35-07	9.710	159-08-03	-9.074	3.458	105248.268	6640.281	139.861	-1268.998675
14B 11	181-40-21	9.598	160-43-10	-9.059	3.170	105239.209	6643.451	146.489	-1327.158344
14B 10	181-35-29	9.653	162-23-31	-9.201	2.920	105230.008	6646.371	152.578	-1403.836646

## 座標面積計算書 2 (倍橫距法)

点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
14B 9	181-41-34	9.736	163-59-00	-9.358	2.686	105220.650	6649.057	158.185	-1480.	327169
14B 8	181-38-47	9.730	165-40-34	-9.428	2.407	105211.222	6651.464	163.278	-1539.	315043
14B 7	181-20-48	9.737	167-19-21	-9.499	2.137	105201.723	6653.601	167.822	-1594.	220758
14B 6	181-21-40	9.741	168-40-09	-9.552	1.914	105192.171	6655.515	171.873	-1641.	662500
14B 5	181-05-04	9.733	170-01-49	-9.586	1.685	105182.585	6657.200	175.472	-1682.	138424
14B 4	181-08-19	8.805	171-06-53	-8.700	1.360	105173.885	6658.560	178.517	-1553.	045756
16B 16	180-57-14	13.318	172-15-12	-13.197	1.795	105160.688	6660.355	181.673	-2397.	472582
16B 15	180-30-54	7.300	173-12-26	-7.248	0.864	105153.440	6661.219	184.331	-1336.	117217
16B 14	180-38-39	9.739	173-43-20	-9.681	1.065	105143.759	6662.284	186.260	-1803.	087768
16B 13	180-24-44	9.747	174-21-59	-9.699	0.957	105134.060	6663.241	188.281	-1826.	223591
16B 12	180-17-06	9.747	174-46-43	-9.706	0.887	105124.354	6664.128	190.125	-1845.	387583
16B 11	180-11-31	9.748	175-03-49	-9.712	0.838	105114.642	6664.966	191.851	-1863.	278840
16B 10	180-03-25	10.965	175-15-20	-10.927	0.907	105103.715	6665.873	193.597	-2115.	453647
16B 9	179-55-25	18.293	175-18-45	-18.232	1.495	105085.483	6667.368	195.999	-3573.	426349
16B 8	180-46-26	21.232	175-14-10	-21.159	1.764	105064.324	6669.132	199.257	-4216.	076352
16B 7	179-59-32	20.091	176-00-36	-20.043	1.398	105044.281	6670.530	202.418	-4056.	990480
16B 6	179-14-56	20.045	176-00-08	-19.996	1.397	105024.285	6671.927	205.214	-4103.	502945
16B 5	228-57-09	29.991	175-15-04	-29.888	2.483	104994.397	6674.410	209.094	-6249.	416463
16B 4	127-32-42	9.939	224-12-13	-7.125	-6.930	104987.272	6667.480	204.647	-1458.	151338
33B 12	142-36-11	15.271	171-44-55	-15.114	2.192	104972.158	6669.672	199.909	-3021.	290838
33B 11	220-57-46	10.026	134-21-06	-7.008	7.169	104965.150	6676.841	209.270	-1466.	661366
33B 10	179-14-43	30.012	175-18-52	-29.912	2.451	104935.238	6679.292	218.890	-6547.	390238
33B 9	180-02-18	20.001	174-33-35	-19.911	1.897	104915.327	6681.189	223.238	-4444.	798192

## 座標面積計算書 2 (倍橫距法)

点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X) (Y+Y)
33B 8	180-41-15	19.987	174-35-53	-19.897	1.881	104895.430	6683.070	227.016	-4517.104970
33B 7	179-59-44	19.976	175-17-08	-19.909	1.642	104875.521	6684.712	230.539	-4589.745296
33B 6	179-58-14	20.013	175-16-52	-19.945	1.646	104855.576	6686.358	233.827	-4663.702131
33B 5	179-59-43	19.994	175-15-06	-19.925	1.655	104835.651	6688.013	237.129	-4724.759557
33B 4	179-59-04	14.799	175-14-49	-14.748	1.227	104820.903	6689.240	240.010	-3539.718110
35B 12	180-08-14	13.138	175-13-53	-13.093	1.092	104807.810	6690.332	242.328	-3172.628947
35B 11	179-55-15	12.453	175-22-07	-12.412	1.005	104795.398	6691.337	244.426	-3033.807005
35B 10	179-58-25	19.955	175-17-22	-19.887	1.639	104775.511	6692.976	247.070	-4913.635849
35B 9	180-02-26	19.995	175-15-47	-19.927	1.651	104755.584	6694.627	250.360	-4988.798444
35B 8	179-55-52	19.989	175-18-13	-19.921	1.637	104735.663	6696.264	253.648	-5053.047121
35B 7	180-02-22	20.001	175-14-05	-19.932	1.661	104715.731	6697.925	256.946	-5121.327132
35B 6	180-02-00	20.014	175-16-27	-19.945	1.649	104695.786	6699.574	260.257	-5190.952820
35B 5	179-55-53	19.991	175-18-27	-19.924	1.636	104675.862	6701.210	263.541	-5250.781728
35B 4	180-03-04	13.018	175-14-20	-12.973	1.080	104662.889	6702.290	266.257	-3454.098892
54B 8	98-56-30	13.155	175-17-24	-13.111	1.080	104649.778	6703.370	268.418	-3519.142841
59B 4	81-00-58	25.291	94-13-54	-1.866	25.223	104647.912	6728.593	294.720	-550.009298
34B 1	180-03-17	13.209	355-14-52	13.164	-1.095	104661.076	6727.498	318.848	4197.236457
34B 18	180-00-26	17.260	355-18-09	17.202	-1.413	104678.278	6726.085	316.340	5441.661391
34B 17	179-55-54	19.994	355-18-35	19.926	-1.635	104698.204	6724.450	313.291	6242.847410
34B 16	180-04-24	19.999	355-14-29	19.930	-1.659	104718.134	6722.791	309.997	6178.131575
34B 15	179-57-14	19.992	355-18-53	19.925	-1.633	104738.059	6721.158	306.705	6111.205476
34B 14	180-01-53	19.988	355-16-07	19.921	-1.649	104757.980	6719.509	303.424	6044.266982
34B 13	179-58-25	20.001	355-18-00	19.933	-1.639	104777.913	6717.870	300.136	5982.723645

## 座標面積計算書 2 (倍橫距法)

点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
34B 12	180-00-13	19.987	355-16-25	19.919	-1.647	104797.832	6716.223	296.851	5912.908604	
34B 11	180-00-45	19.990	355-16-38	19.922	-1.645	104817.754	6714.578	293.558	5848.321456	
34B 10	179-57-59	19.990	355-17-23	19.923	-1.642	104837.677	6712.936	290.270	5782.927052	
34B 9	180-01-21	19.994	355-15-22	19.925	-1.654	104857.602	6711.282	286.975	5718.070432	
34B 8	179-58-50	20.004	355-16-43	19.936	-1.646	104877.538	6709.636	283.675	5655.440449	
34B 7	180-46-38	20.002	355-15-33	19.934	-1.653	104897.472	6707.983	280.375	5588.909866	
34B 6	179-57-57	20.132	356-02-11	20.084	-1.392	104917.556	6706.591	277.330	5569.936589	
34B 5	179-15-39	19.999	356-00-08	19.950	-1.394	104937.506	6705.197	274.545	5477.238211	
34B 4	229-02-22	25.388	355-15-47	25.301	-2.097	104962.807	6703.100	271.054	6857.921019	
34B 3	127-20-50	9.986	44-18-09	7.147	6.975	104969.954	6710.075	275.932	1971.895930	
15B 2	142-28-51	15.264	351-38-59	15.101	-2.217	104985.055	6707.858	280.689	4238.905555	
15B 1	221-12-33	10.019	314-07-50	6.977	-7.191	104992.032	6700.667	271.281	1892.530747	
15B 45	180-03-36	19.964	355-20-23	19.898	-1.622	105011.930	6699.045	262.468	5222.660680	
15B 44	179-47-38	5.060	355-23-59	5.044	-0.406	105016.974	6698.639	260.440	1313.572721	
15B 43	179-21-37	9.509	355-11-37	9.475	-0.797	105026.449	6697.842	259.238	2456.506416	
15B 42	179-59-22	19.956	354-33-14	19.867	-1.894	105046.316	6695.948	256.547	5096.653093	
15B 41	180-45-00	20.113	354-32-36	20.022	-1.913	105066.338	6694.035	252.740	5060.338581	
15B 40	179-59-00	19.992	355-17-36	19.924	-1.640	105086.262	6692.395	249.187	4964.908071	
15B 39	179-37-10	12.900	355-16-36	12.856	-1.062	105099.118	6691.333	246.484	3168.851976	
15B 38	180-41-39	3.662	354-53-46	3.648	-0.326	105102.766	6691.007	245.096	894.008945	
15B 37	179-35-33	3.042	355-35-25	3.033	-0.234	105105.799	6690.773	244.537	741.743163	
15B 36	179-36-39	20.729	355-10-58	20.656	-1.741	105126.455	6689.032	242.562	5010.408775	
15B 35	179-34-27	9.758	354-47-37	9.718	-0.885	105136.173	6688.147	239.936	2331.538779	

## 座標面積計算書 2 (倍横距法)

点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X) (Y+Y)
15B 34	179-27-05	10.367	354-22-04	10.316	-1.018	105146.489	6687.129	238.033	2455.688089
15B 33	178-35-52	9.768	353-49-09	9.711	-1.051	105156.200	6686.078	235.964	2291.425325
15B 32	180-44-37	2.444	352-25-01	2.423	-0.323	105158.623	6685.755	234.590	568.299728
15B 31	179-03-19	7.931	353-09-38	7.875	-0.944	105166.498	6684.811	233.323	1837.366628
15B 30	178-51-36	10.372	352-12-57	10.275	-1.405	105176.773	6683.406	230.973	2373.467345
15B 29	178-53-57	10.377	351-04-33	10.251	-1.610	105187.024	6681.796	227.959	2336.803405
15B 28	178-48-06	10.383	349-58-30	10.225	-1.807	105197.249	6679.989	224.542	2295.783886
15B 27	179-05-13	7.334	348-46-36	7.194	-1.428	105204.443	6678.561	221.307	1592.129794
15B 26	179-03-16	7.333	347-51-49	7.169	-1.542	105211.612	6677.019	218.338	1565.309519
15B 25	179-17-14	5.497	346-55-05	5.355	-1.244	105216.967	6675.775	215.552	1154.148384
15B 24	179-17-12	3.669	346-12-19	3.562	-0.874	105220.529	6674.901	213.433	760.422722
15B 23	178-31-57	6.721	345-29-31	6.507	-1.684	105227.036	6673.217	210.874	1372.129292
15B 22	178-22-19	10.638	344-01-28	10.227	-2.928	105237.263	6670.289	206.263	2109.428763
15B 21	178-19-54	10.325	342-23-47	9.842	-3.123	105247.105	6667.166	200.212	1970.413563
15B 20	178-23-16	10.373	340-43-41	9.792	-3.423	105256.897	6663.743	193.666	1896.344026
15B 19	178-23-22	10.321	339-06-57	9.643	-3.680	105266.540	6660.063	186.563	1799.090697
15B 18	178-16-52	10.365	337-30-19	9.577	-3.966	105276.117	6656.097	178.918	1713.439314
15B 17	178-23-02	10.394	335-47-11	9.479	-4.262	105285.596	6651.835	170.689	1618.029071
15B 16	178-22-50	10.339	334-10-13	9.306	-4.505	105294.902	6647.330	161.921	1506.839739
15B 15	178-23-34	10.337	332-33-03	9.174	-4.765	105304.076	6642.565	152.652	1400.363659
15B 14	178-18-19	10.364	330-56-37	9.059	-5.034	105313.135	6637.531	142.853	1294.202083
15B 13	178-25-48	10.356	329-14-56	8.900	-5.295	105322.035	6632.236	132.524	1179.456829
15B 12	178-18-43	10.385	327-40-44	8.777	-5.553	105330.812	6626.683	121.676	1067.857124

座標面積計算書 2 (倍橫距法)

点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
15B 11	178-18-01	10.365	325-59-27	8.592	-5.797	105339.404	6620.886	110.326		947.928123
15B 10	178-27-49	10.374	324-17-28	8.423	-6.055	105347.827	6614.831	98.474		829.495902
15B 9	178-20-45	10.358	322-45-17	8.246	-6.269	105356.073	6608.562	86.150		710.371586
15B 8	178-18-15	10.319	321-06-02	8.030	-6.480	105364.103	6602.082	73.401		589.440985
15B 7	178-22-31	10.386	319-24-17	7.886	-6.758	105371.989	6595.324	60.164		474.462891
15B 6	178-32-02	10.365	317-46-48	7.676	-6.965	105379.665	6588.359	46.440		356.465753
15B 47	179-49-05	6.087	316-18-50	4.402	-4.204	105384.067	6584.155	35.272		155.244895
15B 4	178-06-40	1.743	316-07-55	1.256	-1.208	105385.323	6582.947	29.859		37.528365
1B 1	111-44-09	19.997	314-14-35	13.952	-14.325	105399.275	6568.622	14.326		199.871342
									<b>倍面積</b>	<b>39898.097970</b>
									<b>面積</b>	<b>19949.0489851</b>



座標面積計算書 2 (倍横距法)

[ 地番 : 25-1(3) ]	地目 :									
点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
54B 8	81-02-06	25.291	274-13-54	1.866	-25.223	104649.778	6703.370	-25.222		-47.069677
54B 7	179-59-56	20.006	175-16-00	-19.937	1.651	104629.841	6705.021	-48.793		972.827812
54B 6	179-59-53	19.985	175-15-56	-19.917	1.650	104609.924	6706.671	-45.493		906.071029
54B 5	179-59-00	19.987	175-15-49	-19.919	1.650	104590.005	6708.321	-42.193		840.419320
54B 4	180-01-30	18.848	175-14-49	-18.783	1.562	104571.222	6709.883	-38.981		732.186598
55B 13	180-02-16	13.068	175-16-19	-13.023	1.077	104558.199	6710.960	-36.342		473.310945
55B 12	179-59-39	19.999	175-18-35	-19.933	1.635	104538.266	6712.595	-33.630		670.322848
55B 11	179-54-51	19.994	175-18-14	-19.927	1.637	104518.339	6714.232	-30.358		604.929389
55B 10	180-02-03	10.383	175-13-05	-10.346	0.866	104507.993	6715.098	-27.855		288.206668
58B 17	180-02-52	13.193	175-15-08	-13.148	1.092	104494.845	6716.190	-25.898		340.498984
58B 16	179-59-21	19.994	175-18-00	-19.927	1.638	104474.918	6717.828	-23.167		461.653416
58B 15	180-00-24	20.001	175-17-21	-19.933	1.643	104454.985	6719.471	-19.886		396.402693
58B 14	179-58-56	20.001	175-17-45	-19.934	1.640	104435.051	6721.111	-16.603		330.967481
58B 13	179-59-43	19.994	175-16-41	-19.927	1.646	104415.124	6722.757	-13.317		265.366467
58B 12	179-59-40	19.996	175-16-24	-19.927	1.648	104395.197	6724.405	-10.024		199.747033
58B 11	180-01-48	19.997	175-16-04	-19.929	1.649	104375.268	6726.054	-6.726		134.047112
58B 10	180-55-53	18.154	175-17-52	-18.093	1.489	104357.175	6727.543	-3.588		64.921484
58B 9	179-33-14	10.352	176-13-45	-10.330	0.680	104346.845	6728.223	-1.419		14.658897
58B 8	179-52-12	9.627	175-46-59	-9.600	0.708	104337.245	6728.931	-0.030		0.292725
58B 27	173-58-25	3.688	175-39-11	-3.677	0.280	104333.568	6729.211	0.957		-3.518834
58B 7	186-47-05	0.241	169-37-36	-0.238	0.043	104333.330	6729.254	1.280		-0.303695
JK. 31	179-40-29	5.430	176-24-41	-5.419	0.340	104327.911	6729.594	1.663		-9.013543
JK. 30	179-58-49	9.878	176-05-10	-9.855	0.674	104318.056	6730.268	2.677		-26.385218

## 座標面積計算書 2 (倍橫距法)

点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
JK. 29	178-36-46	1.018	176-03-59	-1.016	0.070	104317.040	6730.338	3.421		-3.475141
JK. 28	179-35-23	10.172	174-40-45	-10.128	0.943	104306.912	6731.281	4.434		-44.911395
JK. 27	179-17-27	4.597	174-16-08	-4.574	0.459	104302.338	6731.740	5.837		-26.696975
JK. 26	178-29-57	5.744	173-33-35	-5.707	0.645	104296.631	6732.385	6.940		-39.610703
JK. 25	179-30-27	5.256	172-03-32	-5.206	0.726	104291.425	6733.111	8.310		-43.261935
58B 6	250-54-51	4.771	171-33-59	-4.720	0.700	104286.705	6733.811	9.736		-45.954361
58B 5	250-15-59	16.017	242-28-50	-7.400	-14.205	104279.305	6719.606	-3.768		27.888659
D7	33-06-25	7.248	312-44-49	4.919	-5.323	104284.224	6714.283	-23.296		-114.606970
D8	146-58-55	17.004	165-51-14	-16.489	4.156	104267.735	6718.439	-24.463		403.357940
6	140-27-43	16.699	132-50-09	-11.353	12.245	104256.382	6730.684	-8.062		91.526063
3	211-04-50	0.143	93-17-52	-0.008	0.144	104256.374	6730.828	4.327		-0.035704
2	211-39-32	17.023	124-22-42	-9.612	14.049	104246.762	6744.877	18.519		-178.006836
5	156-47-55	6.587	156-02-14	-6.019	2.675	104240.743	6747.552	35.244		-212.137236
K. 81	91-40-47	18.486	132-50-09	-12.569	13.556	104228.174	6761.108	51.475		-646.974941
K. 82	179-54-44	5.353	44-30-56	3.817	3.753	104231.991	6764.861	68.784		262.548088
60B 27	107-16-06	15.248	44-25-40	10.889	10.674	104242.880	6775.535	83.211		906.074634
60B 24	181-12-22	1.354	331-41-46	1.192	-0.642	104244.072	6774.893	93.242		111.172961
60B 23	181-33-01	4.270	332-54-08	3.802	-1.945	104247.874	6772.948	90.655		344.606784
60B 22	180-46-47	3.648	334-27-09	3.291	-1.574	104251.165	6771.374	87.137		286.773195
60B 21	181-03-49	3.056	335-13-56	2.774	-1.280	104253.939	6770.094	84.284		233.854251
60B 20	181-30-35	3.684	336-17-45	3.374	-1.481	104257.313	6768.613	81.522		275.016943
60B 19	181-51-44	2.451	337-48-20	2.269	-0.926	104259.582	6767.687	79.115		179.549681
60B 18	180-56-11	2.451	339-40-04	2.298	-0.851	104261.880	6766.836	77.338		177.709007

## 座標面積計算書 2 (倍橫距法)

点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X) (Y+Y)
60B 17	181-07-28	3.679	340-36-15	3.470	-1.222	104265.350	6765.614	75.265	261.175881
60B 16	181-29-29	3.055	341-43-43	2.901	-0.958	104268.251	6764.656	73.085	212.031126
60B 15	181-49-14	3.053	343-13-12	2.924	-0.881	104271.175	6763.775	71.246	208.273337
60B 14	180-51-45	4.261	345-02-26	4.117	-1.100	104275.292	6762.675	69.264	285.158444
60B 13	181-06-38	2.443	345-54-11	2.369	-0.595	104277.661	6762.080	67.569	160.073795
60B 12	181-51-49	4.272	347-00-49	4.162	-0.960	104281.823	6761.120	66.014	274.774596
60B 11	181-04-38	4.877	348-52-38	4.786	-0.941	104286.609	6760.179	64.113	306.837655
60B 10	180-59-15	3.647	349-57-16	3.591	-0.636	104290.200	6759.543	62.536	224.565013
60B 9	180-59-30	2.446	350-56-31	2.415	-0.385	104292.615	6759.158	61.515	148.582777
60B 8	181-04-24	4.269	351-56-01	4.227	-0.599	104296.842	6758.559	60.531	255.827070
60B 7	180-24-44	3.048	353-00-25	3.025	-0.371	104299.867	6758.188	59.561	180.180806
60B 6	180-55-30	3.051	353-25-09	3.030	-0.350	104302.897	6757.838	58.840	178.328125
60B 5	180-15-07	9.165	354-20-39	9.121	-0.903	104312.018	6756.935	57.588	525.210440
60B 4	179-58-53	14.010	354-35-46	13.947	-1.320	104325.965	6755.615	55.365	772.194252
60B 3	180-01-33	19.982	354-34-39	19.893	-1.888	104345.858	6753.727	52.157	1037.552646
59B 1	180-39-27	13.435	354-36-12	13.375	-1.263	104359.233	6752.464	49.006	655.462248
59B 19	180-00-21	9.471	355-15-39	9.439	-0.783	104368.672	6751.681	46.960	443.234089
59B 18	180-01-57	19.977	355-16-00	19.908	-1.648	104388.580	6750.033	44.529	886.503129
59B 17	179-58-26	19.961	355-17-57	19.894	-1.636	104408.474	6748.397	41.244	820.493825
59B 16	179-59-28	20.082	355-16-23	20.014	-1.655	104428.488	6746.742	37.953	759.600350
59B 15	179-59-34	19.986	355-15-51	19.917	-1.650	104448.405	6745.092	34.648	690.110300
59B 14	179-59-18	19.982	355-15-25	19.914	-1.653	104468.319	6743.439	31.346	624.212391
59B 13	180-03-44	19.974	355-14-43	19.905	-1.655	104488.224	6741.784	28.038	558.096301

座標面積計算書 2 (倍橫距法)

点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
59B 12	179-57-52	20.309	355-18-27	20.241	-1.662	104508.465	6740.122	24.721		500.380791
59B 11	180-00-02	20.000	355-16-19	19.932	-1.648	104528.397	6738.474	21.411		426.776393
59B 10	179-55-18	19.988	355-16-21	19.920	-1.647	104548.317	6736.827	18.115		360.860259
59B 9	180-13-54	8.982	355-11-39	8.951	-0.753	104557.268	6736.074	15.715		140.661671
59B 8	179-51-37	11.000	355-25-33	10.964	-0.877	104568.232	6735.197	14.086		154.443845
59B 7	179-59-15	19.986	355-17-10	19.919	-1.643	104588.151	6733.554	11.566		230.374653
59B 6	179-59-18	20.011	355-16-25	19.943	-1.649	104608.094	6731.905	8.275		165.023627
59B 5	179-57-50	19.976	355-15-43	19.907	-1.650	104628.001	6730.255	4.976		99.053176
59B 4	99-00-21	19.980	355-13-33	19.911	-1.662	104647.912	6728.593	1.663		33.108828
									倍面積	22134.107805
									面積	11067.0539026

座標面積計算書 2 (倍橫距法)

[ 地番 : 25-1(5) ]	地目 :									
点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
K. 2	163-39-32	26.078	230-03-10	-16.744	-19.992	105494.217	6346.290	-19.992		334.746047
K. 3	198-13-38	2.200	213-42-42	-1.830	-1.221	105492.387	6345.069	-41.205		75.405150
K. 4	178-29-34	12.824	231-56-20	-7.906	-10.097	105484.481	6334.972	-52.523		415.246838
D1	93-42-29	12.709	230-25-54	-8.096	-9.797	105476.385	6325.175	-72.417		586.274144
D2	86-30-23	3.028	144-08-23	-2.454	1.774	105473.931	6326.949	-80.440		197.432390
2B 32	179-49-01	5.100	50-38-46	3.234	3.943	105477.165	6330.892	-74.723		-241.649491
2B 31	212-34-47	16.014	50-27-47	10.194	12.351	105487.359	6343.243	-58.428		-595.643441
2B 30	147-57-01	18.489	83-02-34	2.240	18.352	105489.599	6361.595	-27.726		-62.089707
D16	122-14-24	33.972	50-59-35	21.382	26.399	105510.981	6387.994	17.025		364.041926
1B 3	146-34-26	13.357	353-13-59	13.264	-1.574	105524.245	6386.420	41.850		555.081214
D3	90-10-35	0.984	319-48-25	0.752	-0.635	105524.997	6385.785	39.641		29.810020
K. 149-6	270-00-22	9.632	229-59-00	-6.194	-7.377	105518.803	6378.408	31.629		-195.893897
K. 149-7	90-00-15	1.789	319-59-22	1.370	-1.150	105520.173	6377.258	23.102		31.649739
K. 1	180-03-33	14.329	229-59-37	-9.212	-10.976	105510.961	6366.282	10.976		-101.110911
									倍面積	1393.300021
									面積	696.6500109