

座標データリスト

現場名：塩原町関谷地区

No	点名	X	Y
1	21B 1	105052.2726913	6406.3405541
2	21B 2	105048.5387727	6409.6514761
3	21B 3	105044.4070216	6486.9249117
4	21B 4	105047.7173306	6490.6424444
5	21B 5	105063.8357505	6491.4840374
6	21B 6	105099.6757862	6493.3846555
7	21B 7	105151.3591007	6496.1408710
8	21B 8	105169.0511177	6497.1065254
9	21B 9	105172.7837241	6493.7345088
10	21B 10	105174.5527255	6460.8887557
11	21B 11	105171.2042572	6457.1560125
12	21B 12	105152.6771000	6456.1554317
13	21B 13	105147.9243775	6455.9179649
14	21B 14	105150.1283829	6415.0552260
15	21B 15	105146.7748872	6411.3370882
16	21B 16	105096.6054514	6493.2218338
17	21B 17	105148.2695854	6495.9761105
18	21B 18	105150.3992487	6456.0416203
19	21B 19	105144.3271864	6411.2076730
20	21B 20	105119.9457940	6409.9185764
21	21B 21	105101.0626607	6408.9201846
22	21B 22	105141.9330860	6455.5948138
23	21B 23	105117.6001847	6454.2823749
24	21B 24	105118.9559025	6428.6409392
25	21B 25	105100.0727691	6427.6425474

座標面積計算書 2 (倍横距法)

[地番 : 21]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	21B 14		134-51-52	40.922	273-05-14	2.204	-40.863	105150.128	6415.055	-40.863		-90.061698
	21B 15		135-04-30	5.007	227-57-06	-3.353	-3.718	105146.775	6411.337	-85.444		286.534794
	21B 1		135-24-34	94.634	183-01-36	-94.502	-4.996	105052.273	6406.341	-94.158		8898.164947
	21B 2		134-37-28	4.990	138-26-10	-3.734	3.310	105048.539	6409.651	-95.844		357.873318
	21B 3		135-15-21	77.384	93-03-38	-4.132	77.274	105044.407	6486.925	-15.260		63.048630
	21B 4		134-40-21	4.978	48-18-59	3.310	3.717	105047.717	6490.642	65.731		217.591330
	21B 5		180-02-48	16.140	2-59-20	16.119	0.842	105063.836	6491.484	70.291		1132.972634
	21B 6		180-01-01	35.890	3-02-08	35.840	1.901	105099.676	6493.385	73.033		2617.496834
	21B 7		180-04-18	51.757	3-03-09	51.683	2.756	105151.359	6496.141	77.690		4015.255849
	21B 8		134-46-53	17.718	3-07-27	17.692	0.966	105169.051	6497.107	81.411		1440.333052
	21B 9		135-10-38	5.030	317-54-20	3.733	-3.372	105172.784	6493.735	79.005		294.894958
	21B 10		135-01-24	32.893	273-04-58	1.769	-32.846	105174.553	6460.889	42.787		75.690853
	21B 11		134-59-07	5.015	228-06-22	-3.349	-3.733	105171.204	6457.156	6.209		-20.790098
	21B 12		179-46-08	18.554	183-05-29	-18.527	-1.001	105152.677	6456.155	1.476		-27.337086
	21B 13		270-13-37	4.759	182-51-37	-4.753	-0.237	105147.924	6455.918	0.237		-1.128613
											倍面積	19260.539706
											面積	9630.2698532

座標面積計算書2 (倍横距法)

[地番 : 21-1]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	21B 11	134-59-07	5.015	228-06-22	-3.349	-3.733	105171.204	6457.156	-3.733		12.498972
	21B 12	179-46-08	18.554	183-05-29	-18.527	-1.001	105152.677	6456.155	-8.466		156.852156
	21B 18	90-11-32	2.281	182-51-37	-2.278	-0.113	105150.399	6456.042	-9.580		21.822861
	21B 17	90-00-00	39.991	93-03-09	-2.129	39.934	105148.270	6495.976	30.240		-64.401486
	21B 7	180-04-18	3.094	3-03-09	3.089	0.165	105151.359	6496.141	70.339		217.314869
	21B 8	134-46-53	17.718	3-07-27	17.692	0.966	105169.051	6497.107	71.470		1264.446422
	21B 9	135-10-38	5.030	317-54-20	3.733	-3.372	105172.784	6493.735	69.064		257.786947
	21B 10	135-01-24	32.893	273-04-58	1.769	-32.846	105174.553	6460.889	32.846		58.104181
										倍面積	1924.424925
										面積	962.2124625

座標面積計算書2 (倍横距法)

[地番 : 21-2]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	21B 23	269-56-22	30.368	183-05-14	-30.324	-1.636	105117.600	6454.282	-1.636		49.597946
	21B 24	90-00-00	25.677	273-01-36	1.356	-25.641	105118.956	6428.641	-28.913		-39.197347
	21B 25	90-00-00	18.910	183-01-36	-18.883	-0.998	105100.073	6427.643	-55.552		1049.004194
	21B 16	90-00-32	65.671	93-01-36	-3.468	65.579	105096.605	6493.222	9.028		-31.304509
	21B 6	180-01-01	3.075	3-02-08	3.071	0.163	105099.676	6493.385	74.771		229.570656
	21B 17	90-00-00	48.663	3-03-09	48.594	2.591	105148.270	6495.976	77.525		3767.226311
	21B 18	89-48-28	39.991	273-03-09	2.129	-39.934	105150.399	6456.042	40.182		85.573708
	21B 13	180-13-37	2.478	182-51-37	-2.475	-0.124	105147.924	6455.918	0.124		-0.306031
										倍面積	5110.164928
										面積	2555.0824644

座標面積計算書2 (倍横距法)

[地番: 21-3]	点名	地目:	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	21B 21		90-00-00	84.419	273-01-36	4.458	-84.302	105101.063	6408.920	-84.302		-375.750097
	21B 1		135-24-34	48.858	183-01-36	-48.790	-2.579	105052.273	6406.341	-171.183		8352.009867
	21B 2		134-37-28	4.990	138-26-10	-3.734	3.310	105048.539	6409.651	-170.452		636.452537
	21B 3		135-15-21	77.384	93-03-38	-4.132	77.274	105044.407	6486.925	-89.867		371.309234
	21B 4		134-40-21	4.978	48-18-59	3.310	3.717	105047.717	6490.642	-8.876		-29.383334
	21B 5		180-02-48	16.140	2-59-20	16.119	0.842	105063.836	6491.484	-4.317		-69.586215
	21B 16		89-59-28	32.816	3-02-08	32.769	1.738	105096.605	6493.222	-1.738		-56.947069
											倍面積	8828.104923
											面積	4414.0524619

座標面積計算書2 (倍横距法)

[地番: 21-4]	点名	地目:	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	21B 20		90-00-00	18.749	273-01-36	0.990	-18.722	105119.946	6409.919	-18.722		-18.533108
	21B 21		90-00-00	18.910	183-01-36	-18.883	-0.999	105101.063	6408.920	-38.443		725.926513
	21B 25		90-00-00	18.749	93-01-36	-0.990	18.723	105100.073	6427.643	-20.719		20.509707
	21B 24		90-00-00	18.910	3-01-36	18.883	0.998	105118.956	6428.641	-0.998		-18.852766
											倍面積	709.050346
											面積	354.5251732

座標面積計算書 2 (倍横距法)

[地番 : 21-5]	地名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	21B 19	89-56-22	44.452	273-05-14	2.394	-44.387	105144.327	6411.208	-44.387	-106.267269		
	21B 20	90-00-00	24.415	183-01-36	-24.381	-1.289	105119.946	6409.919	-90.063	2195.870560		
	21B 23	90-03-38	44.426	93-01-36	-2.346	44.363	105117.600	6454.282	-46.989	110.217078		
	21B 22	90-00-00	24.368	3-05-14	24.333	1.313	105141.933	6455.595	-1.312	-31.935445		
										倍面積		2167.884923
										面積		1083.9424619

座標面積計算書 2 (倍横距法)

[地番 : 21-6]	地名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	21B 15	135-04-30	5.007	227-57-06	-3.353	-3.718	105146.775	6411.337	-3.718	12.468759		
	21B 19	90-03-38	2.451	183-01-36	-2.448	-0.129	105144.327	6411.208	-7.566	18.518547		
	21B 22	90-00-00	44.452	93-05-14	-2.394	44.387	105141.933	6455.595	36.692	-87.844413		
	21B 13	90-00-00	6.000	3-05-14	5.991	0.323	105147.924	6455.918	81.402	487.705061		
	21B 14	134-51-52	40.922	273-05-14	2.204	-40.863	105150.128	6415.055	40.863	90.061698		
										倍面積		520.909653
										面積		260.4548267

座標データリスト

現場名：塩原町関谷地区

No	点名	X	Y
1	22B 1	105159.8525994	6412.0392863
2	22B 2	105156.1081386	6415.3806157
3	22B 3	105154.4124974	6446.7686473
4	22B 4	105157.7830062	6450.4463876
5	22B 5	105171.5458347	6451.1791009
6	22B 6	105175.2542448	6447.8260973
7	22B 7	105176.9349067	6416.5030759
8	22B 8	105173.6004082	6412.7605144

座標面積計算書2 (倍横距法)

[地番: 22]	点名	地目:	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)	
	22B 8		134-42-11	5.013	228-18-00	-3.335	-3.742	105173.600	6412.761	-3.743		12.479565	
	22B 1		135-15-11	13.767	183-00-11	-13.747	-0.722	105159.853	6412.039	-8.206		112.819345	
	22B 2		134-50-10	5.019	138-15-22	-3.745	3.342	105156.108	6415.381	-5.586		20.917493	
	22B 3		134-24-13	31.434	93-05-32	-1.696	31.388	105154.412	6446.769	29.143		-49.416261	
	22B 4		135-33-06	4.989	47-29-45	3.371	3.677	105157.783	6450.446	64.209		216.416607	
	22B 5		134-50-02	13.782	3-02-51	13.763	0.733	105171.546	6451.179	68.619		944.396160	
	22B 6		135-11-24	4.999	317-52-53	3.708	-3.353	105175.254	6447.826	65.999		244.751533	
	22B 7		135-13-43	31.368	273-04-17	1.681	-31.323	105176.935	6416.503	31.323		52.643409	
												倍面積	1555.007854
												面積	777.5039274

座標面積計算書2 (倍横距法)

[地番: 22-1]	点名	地目:	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)	
	22B 8		134-42-11	5.013	228-18-00	-3.335	-3.742	105173.600	6412.761	-3.743		12.479565	
	22B 1		135-15-11	13.767	183-00-11	-13.747	-0.722	105159.853	6412.039	-8.206		112.819345	
	22B 2		134-50-10	5.019	138-15-22	-3.745	3.342	105156.108	6415.381	-5.586		20.917493	
	22B 3		134-24-13	31.434	93-05-32	-1.696	31.388	105154.412	6446.769	29.143		-49.416261	
	22B 4		135-33-06	4.989	47-29-45	3.371	3.677	105157.783	6450.446	64.209		216.416607	
	22B 5		134-50-02	13.782	3-02-51	13.763	0.733	105171.546	6451.179	68.619		944.396160	
	22B 6		135-11-24	4.999	317-52-53	3.708	-3.353	105175.254	6447.826	65.999		244.751533	
	22B 7		135-13-43	31.368	273-04-17	1.681	-31.323	105176.935	6416.503	31.323		52.643409	
												倍面積	1555.007854
												面積	777.5039274

座標データリスト

現場名：塩原町関谷地区

No	点名	X	Y	No	点名	X	Y
1	23B 1	105050.3110351	6376.6488205	26	23B 31	105108.3216594	6391.1788662
2	23B 2	105049.2364838	6396.5865898	27	23B 33	105107.3130334	6391.0727165
3	23B 3	105052.5891812	6400.3528450	28	23B 34	105123.8165454	6380.5109295
4	23B 4	105173.8954725	6406.7686023	29	JK. 10	105108.0556742	6379.6702102
5	23B 5	105177.6259281	6403.4267956	30	JK. 10-1	105106.5228405	6403.2053373
6	23B 6	105178.6786666	6383.4390166	31	JK. 11	105090.8254806	6378.7582015
7	23B 7	105149.1645925	6381.8663735	32	JK. 11-1	105089.2926001	6402.2940487
8	23B 8	105109.1932616	6379.7289741				
9	23B 9	105097.2244480	6379.0894416				
10	23B 10	105062.6250646	6377.3023806				
11	23B 11	105084.2201444	6402.0257721				
12	23B 12	105092.8043924	6402.4797836				
13	23B 13	105093.3878209	6402.5106405				
14	23B 15	105112.2751899	6403.5095728				
15	23B 17	105143.8126231	6405.1775532				
16	23B 18	105155.0580206	6405.7723100				
17	23B 19	105156.3022644	6382.2467009				
18	23B 20	105145.0571424	6381.6467345				
19	23B 22	105094.6336355	6378.9553292				
20	23B 23	105094.0501725	6378.9251264				
21	23B 24	105085.4653758	6378.4814910				
22	23B 26	105112.9018536	6391.6608943				
23	23B 28	105123.1696819	6392.7414997				
24	23B 29	105107.2388328	6403.2432054				
25	23B 30	105121.9772408	6404.0227037				

座標面積計算書2 (倍横距法)

[地番:23]	点名	地目:	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	23B 6		90-02-06	20.015	273-00-54	1.053	-19.988	105178.679	6383.439	-19.988		-21.041905
	23B 7		180-00-39	29.556	183-03-00	-29.514	-1.573	105149.165	6381.866	-41.548		1226.256689
	23B 8		179-53-46	40.028	183-03-39	-39.972	-2.137	105109.193	6379.729	-45.258		1809.032233
	JK.10		180-06-44	1.139	182-57-25	-1.137	-0.059	105108.056	6379.670	-47.454		53.983536
	23B 9		179-53-39	10.847	183-04-09	-10.832	-0.581	105097.224	6379.089	-48.094		520.916335
	JK.11		179-59-31	6.408	182-57-48	-6.399	-0.331	105090.825	6378.758	-49.006		313.587461
	23B 10		180-04-58	28.238	182-57-19	-28.200	-1.456	105062.625	6377.302	-50.793		1432.383990
	23B 1		90-02-49	12.331	183-02-17	-12.314	-0.653	105050.311	6376.649	-52.902		651.441594
	23B 2		135-14-23	19.967	93-05-06	-1.075	19.938	105049.236	6396.587	-33.618		36.124459
	23B 3		134-42-10	5.042	48-19-29	3.353	3.766	105052.589	6400.353	-9.914		-33.239166
	23B 4		135-07-05	121.476	3-01-39	121.306	6.416	105173.895	6406.769	0.268		32.492622
	23B 5		134-52-10	5.008	318-08-44	3.731	-3.342	105177.626	6403.427	3.342		12.466461
											倍面積	6034.404313
											面積	3017.2021565

座標面積計算書2 (倍横距法)

[地番: 23-1]	点名	地目:	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	23B 6		90-02-06	20.015	273-00-54	1.053	-19.988	105178.679	6383.439	-19.988		-21.041905
	23B 19		89-58-39	22.408	183-03-00	-22.377	-1.192	105156.302	6382.247	-41.168		921.188903
	23B 18		90-00-00	23.558	93-01-39	-1.244	23.525	105155.058	6405.772	-18.835		23.434810
	23B 4		135-07-05	18.864	3-01-39	18.837	0.997	105173.895	6406.769	5.687		107.134638
	23B 5		134-52-10	5.008	318-08-44	3.731	-3.342	105177.626	6403.427	3.342		12.466461
											倍面積	1043.182908
											面積	521.5914542

座標面積計算書2 (倍横距法)

[地番: 23-2]	点名	地目:	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	23B 20		90-02-00	23.564	273-01-39	1.244	-23.531	105145.057	6381.647	-23.531		-29.284559
	23B 34		89-58-00	21.271	183-03-39	-21.240	-1.136	105123.817	6380.511	-48.197		1023.742450
	23B 28		183-00-23	12.248	93-01-39	-0.647	12.230	105123.170	6392.741	-37.103		24.000367
	23B 30		86-59-37	11.344	96-02-02	-1.193	11.282	105121.977	6404.023	-13.591		16.206352
	23B 17		90-00-00	21.866	3-01-39	21.836	1.155	105143.813	6405.178	-1.155		-25.216580
											倍面積	1009.448030
											面積	504.7240154

座標面積計算書 2 (倍横距法)

[地番 : 23-3]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	JK. 10		90-46-10	1.139	182-57-25	-1.137	-0.059	105108.056	6379.670	-0.059		0.066849
	23B 33		92-16-53	11.427	93-43-35	-0.743	11.403	105107.313	6391.073	11.285		-8.380684
	23B 28		87-01-11	15.944	6-00-28	15.857	1.668	105123.170	6392.741	24.356		386.208780
	23B 34		90-02-00	12.248	273-01-39	0.647	-12.230	105123.817	6380.511	13.794		8.923146
	23B 8		179-53-46	14.644	183-03-39	-14.624	-0.782	105109.193	6379.729	0.782		-11.434755
											倍面積	375.383335
											面積	187.6916676

座標面積計算書 2 (倍横距法)

[地番 : 23-4]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	23B 28		89-58-26	11.344	276-02-02	1.193	-11.282	105123.170	6392.741	-11.281		-13.452172
	23B 26		87-01-11	10.325	186-00-28	-10.268	-1.080	105112.902	6391.661	-23.643		242.762404
	23B 15		90-00-00	11.865	93-01-39	-0.627	11.849	105112.275	6403.510	-12.875		8.068257
	23B 30		93-00-23	9.716	3-01-39	9.702	0.513	105121.977	6404.023	-0.513		-4.978422
											倍面積	232.400067
											面積	116.2000336

座標面積計算書 2 (倍橫距法)

[地番: 23-5]		地目:								
点名	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
23B 26	92-58-49	11.865	273-01-39	0.627	-11.849	105112.902	6391.661	-11.849		-7.425136
23B 31	89-07-16	4.605	186-00-28	-4.580	-0.482	105108.322	6391.179	-24.179		110.746278
23B 29	87-53-55	12.113	95-07-44	-1.083	12.064	105107.239	6403.243	-12.597		13.640447
23B 15	90-00-00	5.043	3-01-39	5.036	0.267	105112.275	6403.510	-0.266		-1.341521
									倍面積	115.620067
									面積	57.8100335

座標面積計算書 2 (倍橫距法)

[地番: 23-6]		地目:								
点名	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
23B 19	90-01-21	23.558	273-01-39	1.244	-23.525	105156.302	6382.247	-23.526		-29.271593
23B 7	180-00-39	7.148	183-03-00	-7.137	-0.381	105149.165	6381.866	-47.432		338.550810
23B 20	89-58-00	4.113	183-03-39	-4.108	-0.219	105145.057	6381.647	-48.032		197.287037
23B 17	90-00-00	23.564	93-01-39	-1.244	23.531	105143.813	6405.178	-24.720		30.764931
23B 18	90-00-00	11.261	3-01-39	11.245	0.594	105155.058	6405.772	-0.595		-6.688276
									倍面積	530.642908
									面積	265.3214542

座標面積計算書 2 (倍橫距法)

[地番 : 23-7]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	JK. 10		89-20-34	23.585	273-43-35	1.533	-23.535	105108.056	6379.670	-23.535		-36.075434
	23B 9		179-53-39	10.847	183-04-09	-10.832	-0.581	105097.224	6379.089	-47.651		516.119004
	23B 22		90-03-51	2.594	182-57-48	-2.590	-0.134	105094.634	6378.955	-48.366		125.306987
	23B 13		90-00-00	23.588	93-01-39	-1.246	23.556	105093.388	6402.511	-24.945		31.076478
	JK. 10-1		90-41-56	13.153	3-01-39	13.135	0.694	105106.523	6403.205	-0.695		-9.124856
										倍面積		627.302179
										面積		313.6510897

座標面積計算書 2 (倍橫距法)

[地番 : 23-8]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	23B 22		89-56-09	23.588	273-01-39	1.246	-23.556	105094.634	6378.955	-23.555		-29.345551
	23B 23		90-03-51	0.584	182-57-48	-0.584	-0.030	105094.050	6378.925	-47.141		27.504930
	23B 12		90-00-00	23.588	93-01-39	-1.246	23.555	105092.804	6402.480	-23.616		29.420803
	23B 13		90-00-00	0.584	3-01-39	0.584	0.031	105093.388	6402.511	-0.031		-0.018002
										倍面積		27.562179
										面積		13.7810895

座標面積計算書 2 (倍横距法)

[地番 : 23-9]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	23B 23		89-56-09	23.588	273-01-39	1.246	-23.555	105094.050	6378.925	-23.555		-29.343922
	JK. 11		90-45-47	3.229	182-57-48	-3.225	-0.167	105090.825	6378.758	-47.276		152.451301
	JK. 11-1		89-18-04	23.586	93-43-35	-1.532	23.536	105089.293	6402.294	-23.907		36.647062
	23B 12		90-00-00	3.517	3-01-39	3.511	0.186	105092.804	6402.480	-0.186		-0.652262
											倍面積	159.102179
											面積	79.5510895

座標面積計算書 2 (倍横距法)

[地番 : 23-10]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	23B 31		90-52-44	12.113	275-07-44	1.083	-12.064	105108.322	6391.179	-12.064		-13.063587
	23B 33		87-43-07	1.014	186-00-28	-1.009	-0.106	105107.313	6391.073	-24.235		24.443878
	JK. 10-1		89-18-04	12.158	93-43-35	-0.790	12.132	105106.523	6403.205	-12.208		9.646956
	23B 29		92-06-05	0.717	3-01-39	0.716	0.038	105107.239	6403.243	-0.038		-0.027113
											倍面積	21.000134
											面積	10.5000672

座標面積計算書2 (倍横距法)

[地番 : 23-11]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	JK. 11		89-13-44	23.586	273-43-35	1.532	-23.536	105090.825	6378.758	-23.536		-36.077643
	23B 24		90-04-20	5.367	182-57-19	-5.360	-0.277	105085.465	6378.481	-47.348		253.792416
	23B 11		90-00-00	23.577	93-01-39	-1.245	23.545	105084.220	6402.026	-24.081		29.986209
	JK. 11-1		90-41-56	5.080	3-01-39	5.073	0.268	105089.293	6402.294	-0.268		-1.360821
											倍面積	246.340161
											面積	123.1700807

座標面積計算書2 (倍横距法)

[地番 : 23-12]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	23B 24		89-55-40	23.577	273-01-39	1.245	-23.545	105085.465	6378.481	-23.544		-29.318076
	23B 10		180-04-58	22.871	182-57-19	-22.840	-1.179	105062.625	6377.302	-48.268		1102.448661
	23B 1		90-02-49	12.331	183-02-17	-12.314	-0.653	105050.311	6376.649	-50.100		616.937104
	23B 2		135-14-23	19.967	93-05-06	-1.075	19.938	105049.236	6396.587	-30.816		33.113515
	23B 3		134-42-10	5.042	48-19-29	3.353	3.766	105052.589	6400.353	-7.112		-23.844750
	23B 11		90-00-00	31.675	3-01-39	31.631	1.673	105084.220	6402.026	-1.673		-52.916296
											倍面積	1646.420157
											面積	823.2100789

座標データリスト

現場名：塩原町関谷地区

No	点名	X	Y
1	24B 1	105005.0914361	6374.2298505
2	24B 2	105002.7965260	6376.2404786
3	24B 3	105001.0165613	6409.5812730
4	24B 4	104997.8889346	6439.5018411
5	24B 5	104996.9575564	6457.0655603
6	24B 6	104995.4724222	6484.3444567
7	24B 7	104998.8131867	6488.0238969
8	24B 8	105034.6907992	6489.9436864
9	24B 9	105038.4154609	6486.6252835
10	24B 10	105042.2609281	6414.6115547
11	24B 11	105043.8164754	6385.6818480
12	24B 12	105044.3356407	6376.2899967
13	24B 13	105024.6301227	6375.2929165
14	24B 14	104997.8464672	6440.3026833
15	24B 15	105040.7666600	6442.5945824

座標面積計算書 2 (倍橫距法)

[地番 : 24]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	24B 12		89-43-58	9.406	273-09-50	0.520	-9.392	105044.336	6376.290	-9.392		-4.875923
	24B 13		180-13-03	19.731	182-53-48	-19.706	-0.997	105024.630	6375.293	-19.781		389.790572
	24B 1		135-39-48	19.568	183-06-51	-19.539	-1.063	105005.091	6374.230	-21.841		426.743065
	24B 2		134-16-42	3.051	138-46-39	-2.294	2.010	105002.797	6376.240	-20.893		47.948399
	24B 3		182-54-42	33.388	93-03-21	-1.780	33.341	105001.017	6409.581	14.458		-25.734828
	24B 4		177-04-05	30.084	95-58-03	-3.128	29.921	104997.889	6439.502	77.719		-243.077323
	24B 5		180-04-51	17.588	93-02-08	-0.931	17.564	104996.958	6457.066	125.204		-116.612005
	24B 6		134-38-44	27.319	93-06-59	-1.486	27.278	104995.472	6484.344	170.046		-252.541613
	24B 7		135-18-04	4.970	47-45-43	3.341	3.680	104998.813	6488.024	201.005		671.509230
	24B 8		135-14-18	35.929	3-03-47	35.878	1.920	105034.691	6489.944	206.604		7412.454211
	24B 9		134-45-19	4.988	318-18-05	3.724	-3.319	105038.415	6486.625	205.205		764.320212
	24B 10		180-01-16	72.116	273-03-24	3.846	-72.013	105042.261	6414.612	129.873		499.422915
	24B 11		180-05-10	28.971	273-04-40	1.555	-28.930	105043.816	6385.682	28.930		45.001526
											倍面積	9614.348438
											面積	4807.1742194

座標面積計算書2 (倍横距法)

[地番 : 24-1]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	24B 12	89-43-58	9.406	273-09-50	0.520	-9.392	105044.336	6376.290	-9.392		-4.875923
	24B 13	180-13-03	19.731	182-53-48	-19.706	-0.997	105024.630	6375.293	-19.781		389.790572
	24B 1	135-39-48	19.568	183-06-51	-19.539	-1.063	105005.091	6374.230	-21.841		426.743065
	24B 2	134-16-42	3.051	138-46-39	-2.294	2.010	105002.797	6376.240	-20.893		47.948399
	24B 3	182-54-42	33.388	93-03-21	-1.780	33.341	105001.017	6409.581	14.458		-25.734828
	24B 4	177-04-05	30.084	95-58-03	-3.128	29.921	104997.889	6439.502	77.719		-243.077323
	24B 14	90-01-16	0.802	93-02-08	-0.043	0.801	104997.846	6440.303	108.441		-4.605209
	24B 15	90-00-00	42.981	3-03-24	42.921	2.292	105040.767	6442.595	111.534		4787.042323
	24B 10	180-01-16	28.023	273-03-24	1.494	-27.983	105042.261	6414.612	85.842		128.271619
	24B 11	180-05-10	28.971	273-04-40	1.555	-28.930	105043.816	6385.682	28.930		45.001526
										倍面積	5546.504220
										面積	2773.2521104

座標面積計算書2 (倍横距法)

[地番 : 24-2]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	24B 15	90-00-00	44.093	273-03-24	2.352	-44.030	105040.767	6442.595	-44.031		-103.524947
	24B 14	89-58-44	42.981	183-03-24	-42.921	-2.292	104997.846	6440.303	-90.353		3877.981117
	24B 5	180-04-51	16.786	93-02-08	-0.888	16.763	104996.958	6457.066	-75.882		67.452612
	24B 6	134-38-44	27.319	93-06-59	-1.486	27.278	104995.472	6484.344	-31.841		47.287490
	24B 7	135-18-04	4.970	47-45-43	3.341	3.680	104998.813	6488.024	-0.882		-2.947267
	24B 8	135-14-18	35.929	3-03-47	35.878	1.920	105034.691	6489.944	4.717		169.235284
	24B 9	134-45-19	4.988	318-18-05	3.724	-3.319	105038.415	6486.625	3.318		12.359928
										倍面積	4067.844217
										面積	2033.9221089

座標データリスト

現場名：塩原町関谷地区

No	点名	X	Y	No	点名	X	Y
1	25B 1	104979.2597563	6185.6150140	26	25B 26	104986.1967155	6184.6218929
2	25B 2	104975.7664487	6189.2180654	27	25B 27	104984.1886801	6184.8529212
3	25B 3	104948.7930405	6350.9515305	28	25B 28	104982.1438110	6185.1349241
4	25B 4	104951.9070348	6354.8469423	29	25B 29	104963.3456236	6263.6937516
5	25B 5	104971.9147057	6355.9182373	30	25B 30	104962.7475767	6267.2796608
6	25B 6	104982.1660518	6356.4815976	31	25B 31	104958.5196684	6292.6303416
7	25B 7	104989.6961834	6349.9050710	32	25B 32	104996.5931219	6298.9719570
8	25B 8	104990.6068456	6339.7936245	33	25B 33	105001.3739242	6270.0278462
9	25B 9	104991.8396783	6327.8017703	34	25B 34	104981.7843145	6270.4504703
10	25B 10	104992.7661511	6319.8918583	35	25B 35	104977.5564062	6295.8011511
11	25B 11	104998.1919654	6290.2319775				
12	25B 12	104999.8847270	6279.1579417				
13	25B 13	105000.5097892	6275.2225550				
14	25B 14	105014.7092964	6189.8628479				
15	25B 15	105011.7575178	6185.8196033				
16	25B 16	105007.8420897	6185.2630931				
17	25B 17	105004.0553610	6184.7939440				
18	25B 18	105002.0133857	6184.5732850				
19	25B 19	105000.0472649	6184.4010360				
20	25B 20	104997.9354851	6184.2906544				
21	25B 21	104995.9991093	6184.2391878				
22	25B 22	104994.1874443	6184.2343647				
23	25B 23	104992.1852450	6184.2636379				
24	25B 24	104990.1963394	6184.3481460				
25	25B 25	104988.1016666	6184.4771778				

座標面積計算書 2 (倍横距法)

[地番 : 25]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	25B 15	134-13-15	5.006	233-52-07	-2.951	-4.043	105011.758	6185.820	-4.043		11.934763
	25B 16	178-58-23	3.955	188-05-22	-3.916	-0.557	105007.842	6185.263	-8.643		33.841041
	25B 17	179-06-18	3.816	187-03-45	-3.787	-0.469	105004.055	6184.794	-9.669		36.612587
	25B 18	178-50-22	2.054	186-10-03	-2.042	-0.221	105002.013	6184.573	-10.358		21.151733
	25B 19	177-59-07	1.974	185-00-25	-1.966	-0.172	105000.047	6184.401	-10.751		21.138502
	25B 20	178-31-49	2.115	182-59-32	-2.112	-0.110	104997.935	6184.291	-11.034		23.301389
	25B 21	178-37-48	1.937	181-31-21	-1.936	-0.052	104995.999	6184.239	-11.196		21.679379
	25B 22	179-00-36	1.812	180-09-09	-1.812	-0.005	104994.187	6184.234	-11.252		20.385114
	25B 23	178-24-16	2.002	179-09-45	-2.002	0.030	104992.185	6184.264	-11.228		22.480079
	25B 24	178-54-29	1.991	177-34-01	-1.989	0.084	104990.196	6184.348	-11.114		22.104520
	25B 25	179-10-51	2.099	176-28-30	-2.094	0.129	104988.102	6184.477	-10.900		22.832713
	25B 26	177-46-52	1.910	175-39-21	-1.905	0.145	104986.197	6184.622	-10.627		20.243201
	25B 27	178-42-40	2.021	173-26-13	-2.008	0.231	104984.189	6184.853	-10.251		20.584132
	25B 28	178-24-03	2.064	172-08-53	-2.045	0.282	104982.144	6185.135	-9.738		19.912629
	25B 1	143-33-54	2.924	170-32-56	-2.884	0.480	104979.260	6185.615	-8.976		25.886576
	25B 2	145-21-16	5.018	134-06-50	-3.494	3.603	104975.766	6189.218	-4.893		17.091414
	25B 3	131-53-34	163.967	99-28-06	-26.973	161.734	104948.793	6350.952	160.444		-4327.718807
	25B 4	131-42-14	4.987	51-21-40	3.114	3.895	104951.907	6354.847	326.073		1015.388749
	25B 5	180-04-50	20.036	3-03-54	20.008	1.071	104971.915	6355.918	331.039		6623.329039
	25B 6	135-43-18	10.267	3-08-44	10.251	0.564	104982.166	6356.482	332.674		3410.357769
	25B 7	136-16-45	9.998	318-52-02	7.530	-6.577	104989.696	6349.905	326.661		2459.800107
	25B 8	180-43-24	10.152	275-08-47	0.911	-10.111	104990.607	6339.794	309.973		282.280671
	25B 9	180-48-39	12.055	275-52-11	1.233	-11.992	104991.840	6327.802	287.870		354.895195

座標面積計算書 2 (倍橫距法)

点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X) (Y+Y)
25B 10	183-41-10	7.964	276-40-50	0.926	-7.910	104992.766	6319.892	267.968	248.265000
25B 11	178-19-27	30.152	280-22-00	5.426	-29.660	104998.192	6290.232	230.398	1250.097511
25B 12	180-20-03	11.203	278-41-27	1.693	-11.074	104999.885	6279.158	189.664	321.056325
25B 13	180-25-11	3.985	279-01-30	0.625	-3.935	105000.510	6275.223	174.655	109.170114
25B 14	134-25-26	86.533	279-26-41	14.199	-85.360	105014.709	6189.863	85.360	1212.065777
								倍面積	13320.167234
								面積	6660.0836171

座標面積計算書2 (倍横距法)

[地番 : 25-1]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)	
	25B 15		134-13-15	5.006	233-52-07	-2.951	-4.043	105011.758	6185.820	-4.043		11.934763	
	25B 16		178-58-23	3.955	188-05-22	-3.916	-0.557	105007.842	6185.263	-8.643		33.841041	
	25B 17		179-06-18	3.816	187-03-45	-3.787	-0.469	105004.055	6184.794	-9.669		36.612587	
	25B 18		178-50-22	2.054	186-10-03	-2.042	-0.221	105002.013	6184.573	-10.358		21.151733	
	25B 19		177-59-07	1.974	185-00-25	-1.966	-0.172	105000.047	6184.401	-10.751		21.138502	
	25B 20		178-31-49	2.115	182-59-32	-2.112	-0.110	104997.935	6184.291	-11.034		23.301389	
	25B 21		178-37-48	1.937	181-31-21	-1.936	-0.052	104995.999	6184.239	-11.196		21.679379	
	25B 22		179-00-36	1.812	180-09-09	-1.812	-0.005	104994.187	6184.234	-11.252		20.385114	
	25B 23		178-24-16	2.002	179-09-45	-2.002	0.030	104992.185	6184.264	-11.228		22.480079	
	25B 24		178-54-29	1.991	177-34-01	-1.989	0.084	104990.196	6184.348	-11.114		22.104520	
	25B 25		179-10-51	2.099	176-28-30	-2.094	0.129	104988.102	6184.477	-10.900		22.832713	
	25B 26		177-46-52	1.910	175-39-21	-1.905	0.145	104986.197	6184.622	-10.627		20.243201	
	25B 27		178-42-40	2.021	173-26-13	-2.008	0.231	104984.189	6184.853	-10.251		20.584132	
	25B 28		178-24-03	2.064	172-08-53	-2.045	0.282	104982.144	6185.135	-9.738		19.912629	
	25B 1		143-33-54	2.924	170-32-56	-2.884	0.480	104979.260	6185.615	-8.976		25.886576	
	25B 2		145-21-16	5.018	134-06-50	-3.494	3.603	104975.766	6189.218	-4.893		17.091414	
	25B 29		89-59-17	75.504	99-28-06	-12.420	74.476	104963.346	6263.694	73.186		-909.032011	
	25B 33		89-59-18	38.552	9-27-23	38.028	6.334	105001.374	6270.028	153.996		5856.202444	
	25B 14		134-25-26	81.267	279-26-41	13.335	-80.165	105014.709	6189.863	80.165		1069.030096	
												倍面積	6377.380307
												面積	3188.6901539

座標面積計算書2 (倍横距法)

[地番 : 25-2]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	25B 33	90-00-42	5.266	279-26-41	0.864	-5.195	105001.374	6270.028	-5.195		-4.488929
	25B 29	90-00-43	38.552	189-27-23	-38.028	-6.334	104963.346	6263.694	-16.724		635.966750
	25B 30	89-59-17	3.635	99-28-06	-0.598	3.586	104962.748	6267.280	-19.472		11.644987
	25B 34	270-00-43	19.299	9-27-23	19.036	3.170	104981.784	6270.450	-12.715		-242.051718
	25B 35	89-59-17	25.701	99-28-06	-4.228	25.351	104977.556	6295.801	15.807		-66.828481
	25B 32	90-54-37	19.299	9-27-23	19.037	3.171	104996.593	6298.972	44.328		843.859500
	25B 11	178-19-27	8.885	280-22-00	1.599	-8.740	104998.192	6290.232	38.759		61.969291
	25B 12	180-20-03	11.203	278-41-27	1.693	-11.074	104999.885	6279.158	18.945		32.069046
	25B 13	180-25-11	3.985	279-01-30	0.625	-3.935	105000.510	6275.223	3.935		2.459861
										倍面積	1274.600309
										面積	637.3001546

座標面積計算書2 (倍横距法)

[地番 : 25-3]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	25B 31	90-00-43	38.598	189-27-23	-38.073	-6.342	104958.520	6292.630	-6.342		241.447199
	25B 3	131-53-34	59.127	99-28-06	-9.727	58.322	104948.793	6350.952	45.638		-443.903435
	25B 4	131-42-14	4.987	51-21-40	3.114	3.895	104951.907	6354.847	107.855		335.858474
	25B 5	180-04-50	20.036	3-03-54	20.008	1.071	104971.915	6355.918	112.821		2257.290749
	25B 6	135-43-18	10.267	3-08-44	10.251	0.564	104982.166	6356.482	114.456		1173.327268
	25B 7	136-16-45	9.998	318-52-02	7.530	-6.577	104989.696	6349.905	108.443		816.588210
	25B 8	180-43-24	10.152	275-08-47	0.911	-10.111	104990.607	6339.794	91.755		83.557604
	25B 9	180-48-39	12.055	275-52-11	1.233	-11.992	104991.840	6327.802	69.651		85.868627
	25B 10	183-41-10	7.964	276-40-50	0.926	-7.910	104992.766	6319.892	49.750		46.091757
	25B 32	89-05-23	21.267	280-22-00	3.827	-20.920	104996.593	6298.972	20.920		80.059851
										倍面積	4676.186308
										面積	2338.0931542

座標面積計算書2 (倍横距法)

[地番 : 25-4]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	25B 34		89-59-17	25.701	279-28-06	4.228	-25.351	104981.784	6270.450	-25.351		-107.180354
	25B 30		90-00-43	19.299	189-27-23	-19.036	-3.170	104962.748	6267.280	-53.872		1025.550394
	25B 31		89-59-17	25.701	99-28-06	-4.228	25.350	104958.520	6292.630	-31.692		133.992138
	25B 35		90-00-43	19.299	9-27-23	19.036	3.171	104977.556	6295.801	-3.171		-60.361869
											倍面積	992.000308
											面積	496.0001542

座標データリスト

現場名：塩原町関谷地区

No	点名	X	Y
1	26B 1	104927.9709551	6212.3048667
2	26B 2	104925.2126157	6216.5277621
3	26B 3	104915.4973829	6274.7754907
4	26B 4	104918.4107183	6278.8487509
5	26B 5	104950.2825926	6284.1673977
6	26B 6	104954.3452333	6281.2519198
7	26B 7	104969.1449588	6192.5358589
8	26B 8	104965.2900780	6189.3424318
9	26B 9	104962.8651932	6190.2575811
10	26B 10	104961.0566246	6190.9837483
11	26B 11	104959.2202265	6191.7699487
12	26B 12	104957.3686478	6192.6403836
13	26B 13	104955.5729262	6193.5101738
14	26B 14	104953.8053242	6194.4396861
15	26B 15	104952.0545224	6195.3977865
16	26B 16	104950.3158484	6196.3977201
17	26B 17	104948.6138892	6197.4308045
18	26B 18	104946.9308216	6198.5092891
19	26B 19	104945.2639763	6199.6091014
20	26B 20	104942.0299281	6201.9683111
21	26B 21	104932.3010492	6209.2614634
22	26B 22	104930.7890693	6210.3398170

座標面積計算書2 (倍横距法)

[地番 : 26]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	26B 7	120-10-04	89.942	279-28-15	14.800	-88.716	104969.145	6192.536	-88.716	-1312.973351	
	26B 8	119-41-06	5.006	219-38-19	-3.855	-3.194	104965.290	6189.342	-180.626	696.289963	
	26B 9	178-48-01	2.592	159-19-25	-2.425	0.916	104962.865	6190.258	-182.904	443.520712	
	26B 10	178-41-58	1.949	158-07-26	-1.808	0.726	104961.057	6190.984	-181.263	327.825688	
	26B 11	177-59-54	1.998	156-49-24	-1.837	0.786	104959.220	6191.770	-179.750	330.092821	
	26B 12	179-20-03	2.046	154-49-18	-1.851	0.870	104957.369	6192.640	-178.094	329.754144	
	26B 13	178-06-22	1.995	154-09-21	-1.796	0.870	104955.573	6193.510	-176.353	316.681392	
	26B 14	179-02-56	1.997	152-15-43	-1.768	0.930	104953.805	6194.440	-174.554	308.541958	
	26B 15	178-47-07	1.996	151-18-39	-1.750	0.958	104952.055	6195.398	-172.666	302.304596	
	26B 16	178-38-47	2.006	150-05-46	-1.739	1.000	104950.316	6196.398	-170.708	296.806133	
	26B 17	178-36-23	1.991	148-44-33	-1.702	1.033	104948.614	6197.431	-168.675	287.078507	
	26B 18	179-14-01	1.999	147-20-56	-1.683	1.078	104946.931	6198.509	-166.564	280.338049	
	26B 19	177-18-25	1.997	146-34-57	-1.667	1.100	104945.264	6199.609	-164.385	274.005102	
	26B 20	179-15-14	4.003	143-53-22	-3.234	2.359	104942.030	6201.968	-160.926	520.443818	
	26B 21	181-21-36	12.159	143-08-36	-9.729	7.293	104932.301	6209.261	-151.274	1471.727071	
	26B 22	180-36-32	1.857	144-30-12	-1.512	1.079	104930.789	6210.340	-142.903	216.065787	
	26B 1	158-02-23	3.436	145-06-44	-2.818	1.965	104927.971	6212.305	-139.859	394.139073	
	26B 2	156-19-02	5.044	123-09-07	-2.758	4.223	104925.213	6216.528	-133.671	368.710571	
	26B 3	134-57-26	59.052	99-28-09	-9.716	58.247	104915.497	6274.775	-71.201	691.730273	
	26B 4	135-02-51	5.008	54-25-35	2.914	4.074	104918.411	6278.849	-8.880	-25.869247	
	26B 5	134-51-42	32.313	9-28-26	31.872	5.318	104950.283	6284.167	0.512	16.328251	
	26B 6	135-08-07	5.001	324-20-08	4.062	-2.915	104954.345	6281.252	2.915	11.844539	
										倍面積	6545.385860
										面積	3272.6929302

座標面積計算書2 (倍橫距法)

[地番: 26-1]	点名	水平角	地目: 距離	方向角	d x	d y	X	Y	Y+Y	(X-X) (Y+Y)
	26B 7	120-10-04	89.942	279-28-15	14.800	-88.716	104969.145	6192.536	-88.716	-1312.973351
	26B 8	119-41-06	5.006	219-38-19	-3.855	-3.194	104965.290	6189.342	-180.626	696.289963
	26B 9	178-48-01	2.592	159-19-25	-2.425	0.916	104962.865	6190.258	-182.904	443.520712
	26B 10	178-41-58	1.949	158-07-26	-1.808	0.726	104961.057	6190.984	-181.263	327.825688
	26B 11	177-59-54	1.998	156-49-24	-1.837	0.786	104959.220	6191.770	-179.750	330.092821
	26B 12	179-20-03	2.046	154-49-18	-1.851	0.870	104957.369	6192.640	-178.094	329.754144
	26B 13	178-06-22	1.995	154-09-21	-1.796	0.870	104955.573	6193.510	-176.353	316.681392
	26B 14	179-02-56	1.997	152-15-43	-1.768	0.930	104953.805	6194.440	-174.554	308.541958
	26B 15	178-47-07	1.996	151-18-39	-1.750	0.958	104952.055	6195.398	-172.666	302.304596
	26B 16	178-38-47	2.006	150-05-46	-1.739	1.000	104950.316	6196.398	-170.708	296.806133
	26B 17	178-36-23	1.991	148-44-33	-1.702	1.033	104948.614	6197.431	-168.675	287.078507
	26B 18	179-14-01	1.999	147-20-56	-1.683	1.078	104946.931	6198.509	-166.564	280.338049
	26B 19	177-18-25	1.997	146-34-57	-1.667	1.100	104945.264	6199.609	-164.385	274.005102
	26B 20	179-15-14	4.003	143-53-22	-3.234	2.359	104942.030	6201.968	-160.926	520.443818
	26B 21	181-21-36	12.159	143-08-36	-9.729	7.293	104932.301	6209.261	-151.274	1471.727071
	26B 22	180-36-32	1.857	144-30-12	-1.512	1.079	104930.789	6210.340	-142.903	216.065787
	26B 1	158-02-23	3.436	145-06-44	-2.818	1.965	104927.971	6212.305	-139.859	394.139073
	26B 2	156-19-02	5.044	123-09-07	-2.758	4.223	104925.213	6216.528	-133.671	368.710571
	26B 3	134-57-26	59.052	99-28-09	-9.716	58.247	104915.497	6274.775	-71.201	691.730273
	26B 4	135-02-51	5.008	54-25-35	2.914	4.074	104918.411	6278.849	-8.880	-25.869247
	26B 5	134-51-42	32.313	9-28-26	31.872	5.318	104950.283	6284.167	0.512	16.328251
	26B 6	135-08-07	5.001	324-20-08	4.062	-2.915	104954.345	6281.252	2.915	11.844539
									倍面積	6545.385860
									面積	3272.6929302

座標データリスト

現場名：塩原町関谷地区

No	点名	X	Y
1	27B 1	104878.1914022	6236.1861010
2	27B 2	104875.0049605	6240.0435575
3	27B 3	104870.4545156	6267.2348199
4	27B 4	104873.3418714	6271.3014891
5	27B 5	104886.0302473	6273.4409215
6	27B 6	104905.5063316	6276.6954367
7	27B 7	104909.5839046	6273.7831578
8	27B 8	104917.9268542	6223.8527652
9	27B 9	104913.8094627	6220.9721188
10	27B 10	104911.1653151	6222.4053497
11	27B 11	104907.5864695	6224.2300764
12	27B 12	104902.1481454	6226.8296504
13	27B 13	104900.2997969	6227.6564567
14	27B 14	104896.6175821	6229.2527044
15	27B 15	104892.8854609	6230.7336852
16	27B 16	104890.9865031	6274.2691275
17	27B 17	104898.6560231	6228.3690361

座標面積計算書2 (倍横距法)

[地番 : 27]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	27B 8		115-29-30	50.623	279-29-10	8.343	-49.930	104917.927	6223.853	-49.930		-416.566745
	27B 9		116-33-46	5.025	214-58-40	-4.118	-2.881	104913.809	6220.972	-102.741		423.026697
	27B 10		181-26-38	3.008	151-32-26	-2.644	1.433	104911.165	6222.405	-104.189		275.490683
	27B 11		181-28-02	4.017	152-59-04	-3.579	1.825	104907.586	6224.230	-100.931		361.216068
	27B 12		181-26-54	6.028	154-27-06	-5.438	2.600	104902.148	6226.830	-96.507		524.834110
	27B 13		180-39-47	2.025	155-54-00	-1.848	0.826	104900.300	6227.656	-93.080		172.044662
	27B 14		181-47-34	4.013	156-33-47	-3.682	1.597	104896.618	6229.253	-90.657		333.819115
	27B 15		181-17-10	4.015	158-21-21	-3.733	1.481	104892.885	6230.734	-87.580		326.858902
	27B 1		149-54-59	15.673	159-38-31	-14.694	5.452	104878.191	6236.186	-80.647		1185.024837
	27B 2		149-56-31	5.003	129-33-30	-3.186	3.858	104875.005	6240.044	-71.337		227.310102
	27B 3		135-07-29	27.569	99-30-01	-4.550	27.191	104870.455	6267.235	-40.288		183.328042
	27B 4		134-56-45	4.987	54-37-30	2.887	4.066	104873.342	6271.301	-9.030		-26.072842
	27B 5		179-54-57	12.867	9-34-15	12.688	2.140	104886.030	6273.441	-2.824		-35.830769
	27B 6		134-58-42	19.746	9-29-12	19.476	3.254	104905.506	6276.695	2.570		50.054365
	27B 7		135-01-16	5.011	324-27-54	4.078	-2.912	104909.584	6273.783	2.912		11.875029
											倍面積	3596.412260
											面積	1798.2061304

座標面積計算書2 (倍横距法)

[地番 : 27-1]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	27B 8	115-29-30	50.623	279-29-10	8.343	-49.930	104917.927	6223.853	-49.930		-416.566745
	27B 9	116-33-46	5.025	214-58-40	-4.118	-2.881	104913.809	6220.972	-102.741		423.026697
	27B 10	181-26-38	3.008	151-32-26	-2.644	1.433	104911.165	6222.405	-104.189		275.490683
	27B 11	181-28-02	4.017	152-59-04	-3.579	1.825	104907.586	6224.230	-100.931		361.216068
	27B 12	181-26-54	6.028	154-27-06	-5.438	2.600	104902.148	6226.830	-96.507		524.834110
	27B 13	180-39-47	2.025	155-54-00	-1.848	0.826	104900.300	6227.656	-93.080		172.044662
	27B 17	122-55-23	1.792	156-33-47	-1.644	0.713	104898.656	6228.369	-91.541		150.472405
	27B 16	90-00-02	46.536	99-29-10	-7.669	45.900	104890.987	6274.269	-44.928		344.577361
	27B 6	134-58-42	14.721	9-29-12	14.519	2.426	104905.506	6276.695	3.398		49.341986
	27B 7	135-01-16	5.011	324-27-54	4.078	-2.912	104909.584	6273.783	2.912		11.875029
										倍面積	1896.312260
										面積	948.1561302

座標面積計算書2 (倍横距法)

[地番 : 27-2]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	27B 17	57-04-37	46.536	279-29-10	7.669	-45.900	104898.656	6228.369	-45.900		-352.031669
	27B 14	181-47-34	2.222	156-33-47	-2.038	0.884	104896.618	6229.253	-90.917		185.327950
	27B 15	181-17-10	4.015	158-21-21	-3.733	1.481	104892.885	6230.734	-88.552		330.486298
	27B 1	149-54-59	15.673	159-38-31	-14.694	5.452	104878.191	6236.186	-81.618		1199.306570
	27B 2	149-56-31	5.003	129-33-30	-3.186	3.858	104875.005	6240.044	-72.309		230.407130
	27B 3	135-07-29	27.569	99-30-01	-4.550	27.191	104870.455	6267.235	-41.260		187.750798
	27B 4	134-56-45	4.987	54-37-30	2.887	4.066	104873.342	6271.301	-10.002		-28.879176
	27B 5	179-54-57	12.867	9-34-15	12.688	2.140	104886.030	6273.441	-3.796		-48.163100
	27B 16	89-59-58	5.025	9-29-12	4.957	0.828	104890.987	6274.269	-0.828		-4.104800
										倍面積	1700.100000
										面積	850.0500001

座標データリスト

現場名：塩原町関谷地区

No	点名	X	Y	No	点名	X	Y
1	28B 1	104779.4349759	6247.7359230	26	28B 26	104805.8646261	6255.3329040
2	28B 2	104774.5964675	6249.0037461	27	28B 27	104803.8384492	6255.0746546
3	28B 3	104696.8207912	6333.1964096	28	28B 28	104801.8370192	6254.7025533
4	28B 4	104697.7619257	6338.0944289	29	28B 29	104799.8893139	6254.2777910
5	28B 5	104699.2240827	6338.6972149	30	28B 30	104797.9113603	6253.7778704
6	28B 6	104700.8926192	6339.3303876	31	28B 31	104795.9936018	6253.2591146
7	28B 7	104702.8588201	6340.0470581	32	28B 32	104721.2923783	6306.7350404
8	28B 8	104704.8809054	6340.7405128	33	28B 33	104770.3378576	6346.6544460
9	28B 9	104706.7884123	6341.3455185	34	28B 34	104808.8216986	6318.6716276
10	28B 10	104708.5661455	6341.8706557	35	28B 35	104771.9414836	6316.6973987
11	28B 11	104710.6180930	6342.4327463				
12	28B 12	104712.5445368	6342.8629729				
13	28B 13	104714.4962212	6343.1911532				
14	28B 14	104716.4734965	6343.4787808				
15	28B 15	104718.4997725	6343.7383822				
16	28B 16	104720.4095700	6343.9344180				
17	28B 17	104724.4278008	6344.2168001				
18	28B 18	104752.5574919	6345.7026183				
19	28B 19	104800.3531170	6348.2612383				
20	28B 20	104803.6979557	6348.4528249				
21	28B 21	104807.3929802	6345.1191813				
22	28B 22	104808.0978964	6332.2274784				
23	28B 23	104808.3116655	6328.2405062				
24	28B 24	104811.9816326	6259.3871947				
25	28B 25	104808.6819430	6255.6133070				

座標面積計算書2 (倍横距法)

[地番:28]	点名	地目:	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X) (Y+Y)
	28B 25		136-50-55	5.013	228-50-07	-3.300	-3.774	104808.682	6255.613	-3.774	12.452657
	28B 26		181-34-47	2.831	185-41-02	-2.817	-0.280	104805.865	6255.333	-7.828	22.054458
	28B 27		183-16-06	2.043	187-15-49	-2.027	-0.258	104803.838	6255.075	-8.367	16.952679
	28B 28		181-46-14	2.036	190-31-55	-2.001	-0.372	104801.837	6254.703	-8.997	18.007228
	28B 29		181-52-54	1.993	192-18-09	-1.948	-0.425	104799.889	6254.278	-9.794	19.075913
	28B 30		180-57-08	2.040	194-11-03	-1.978	-0.500	104797.911	6253.778	-10.719	21.201146
	28B 31		183-18-36	1.987	195-08-11	-1.917	-0.519	104795.994	6253.259	-11.737	22.509507
	28B 1		146-52-14	17.455	198-26-47	-16.559	-5.523	104779.435	6247.736	-17.779	294.401635
	28B 2		147-23-59	5.002	165-19-01	-4.839	1.268	104774.596	6249.004	-22.035	106.615179
	28B 32		180-02-46	78.576	132-43-00	-53.304	57.731	104721.292	6306.735	36.964	-1970.353520
	28B 3		126-21-38	36.043	132-45-46	-24.471	26.461	104696.821	6333.196	121.157	-2964.905568
	28B 4		123-16-51	4.988	79-07-24	0.941	4.898	104697.762	6338.094	152.516	143.538494
	28B 5		178-22-35	1.582	22-24-15	1.462	0.603	104699.224	6338.697	158.017	231.046034
	28B 6		179-14-46	1.785	20-46-50	1.669	0.633	104700.893	6339.330	159.253	265.719796
	28B 7		178-54-08	2.093	20-01-36	1.966	0.717	104702.859	6340.047	160.603	315.777867
	28B 8		178-40-07	2.138	18-55-44	2.022	0.694	104704.881	6340.741	162.013	327.604483
	28B 9		178-51-34	2.001	17-35-51	1.907	0.605	104706.788	6341.346	163.312	311.518084
	28B 10		178-51-44	1.854	16-27-25	1.778	0.525	104708.566	6341.871	164.442	292.333619
	28B 11		177-16-12	2.128	15-19-09	2.052	0.562	104710.618	6342.433	165.529	339.656841
	28B 12		176-57-21	1.974	12-35-21	1.927	0.430	104712.545	6342.863	166.521	320.793985
	28B 13		178-43-54	1.979	9-32-42	1.951	0.328	104714.496	6343.191	167.280	326.477243
	28B 14		179-01-27	1.998	8-16-36	1.977	0.288	104716.473	6343.479	167.896	331.975719
	28B 15		178-33-36	2.043	7-18-03	2.027	0.259	104718.500	6343.738	168.443	341.311546

座標面積計算書 2 (倍横距法)

点名	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
28B 16	178-09-33	1.920	5-51-39	1.910	0.196	104720.410	6343.934	168.898		322.561758
28B 17	179-00-13	4.028	4-01-12	4.018	0.283	104724.428	6344.217	169.377		680.595202
28B 18	180-02-26	28.169	3-01-25	28.129	1.486	104752.557	6345.703	171.145		4814.256792
28B 19	180-12-51	47.864	3-03-51	47.796	2.558	104800.353	6348.261	175.189		8373.290099
28B 20	134-39-54	3.350	3-16-42	3.345	0.192	104803.698	6348.453	177.940		595.179505
28B 21	135-11-11	4.977	317-56-36	3.695	-3.334	104807.393	6345.119	174.798		645.881484
28B 22	179-56-22	12.911	273-07-47	0.705	-12.892	104808.098	6332.227	158.572		111.780162
28B 23	179-58-55	3.993	273-04-09	0.214	-3.986	104808.312	6328.241	141.694		30.289711
28B 24	135-47-03	68.951	273-03-04	3.670	-68.854	104811.982	6259.387	68.853		252.689383
									倍面積	14972.289137
									面積	7486.1445689

座標面積計算書2 (倍横距法)

[地番: 28-1]	点名	水平角	地目: 距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	28B 25	136-50-55	5.013	228-50-07	-3.300	-3.774	104808.682	6255.613	-3.774		12.452657
	28B 26	181-34-47	2.831	185-41-02	-2.817	-0.280	104805.865	6255.333	-7.828		22.054458
	28B 27	183-16-06	2.043	187-15-49	-2.027	-0.258	104803.838	6255.075	-8.367		16.952679
	28B 28	181-46-14	2.036	190-31-55	-2.001	-0.372	104801.837	6254.703	-8.997		18.007228
	28B 29	181-52-54	1.993	192-18-09	-1.948	-0.425	104799.889	6254.278	-9.794		19.075913
	28B 30	180-57-08	2.040	194-11-03	-1.978	-0.500	104797.911	6253.778	-10.719		21.201146
	28B 31	183-18-36	1.987	195-08-11	-1.917	-0.519	104795.994	6253.259	-11.737		22.509507
	28B 1	146-52-14	17.455	198-26-47	-16.559	-5.523	104779.435	6247.736	-17.779		294.401635
	28B 2	147-23-59	5.002	165-19-01	-4.839	1.268	104774.596	6249.004	-22.035		106.615179
	28B 32	180-02-46	78.576	132-43-00	-53.304	57.731	104721.292	6306.735	36.964		-1970.353520
	28B 3	126-21-38	36.043	132-45-46	-24.471	26.461	104696.821	6333.196	121.157		-2964.905568
	28B 4	123-16-51	4.988	79-07-24	0.941	4.898	104697.762	6338.094	152.516		143.538494
	28B 5	178-22-35	1.582	22-24-15	1.462	0.603	104699.224	6338.697	158.017		231.046034
	28B 6	179-14-46	1.785	20-46-50	1.669	0.633	104700.893	6339.330	159.253		265.719796
	28B 7	178-54-08	2.093	20-01-36	1.966	0.717	104702.859	6340.047	160.603		315.777867
	28B 8	178-40-07	2.138	18-55-44	2.022	0.694	104704.881	6340.741	162.013		327.604483
	28B 9	178-51-34	2.001	17-35-51	1.907	0.605	104706.788	6341.346	163.312		311.518084
	28B 10	178-51-44	1.854	16-27-25	1.778	0.525	104708.566	6341.871	164.442		292.333619
	28B 11	177-16-12	2.128	15-19-09	2.052	0.562	104710.618	6342.433	165.529		339.656841
	28B 12	176-57-21	1.974	12-35-21	1.927	0.430	104712.545	6342.863	166.521		320.793985
	28B 13	178-43-54	1.979	9-32-42	1.951	0.328	104714.496	6343.191	167.280		326.477243
	28B 14	179-01-27	1.998	8-16-36	1.977	0.288	104716.473	6343.479	167.896		331.975719
	28B 15	178-33-36	2.043	7-18-03	2.027	0.259	104718.500	6343.738	168.443		341.311546

座標面積計算書 2 (倍横距法)

点名	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
28B 16	178-09-33	1.920	5-51-39	1.910	0.196	104720.410	6343.934	168.898		322.561758
28B 17	179-00-13	4.028	4-01-12	4.018	0.283	104724.428	6344.217	169.377		680.595202
28B 18	180-02-26	28.169	3-01-25	28.129	1.486	104752.557	6345.703	171.145		4814.256792
28B 33	90-00-00	17.806	3-03-51	17.781	0.951	104770.338	6346.654	173.583		3086.363447
28B 35	270-00-00	30.000	273-03-51	1.603	-29.957	104771.941	6316.697	144.577		231.848155
28B 34	89-59-13	36.933	3-03-51	36.881	1.975	104808.822	6318.672	116.595		4300.035282
28B 24	135-47-03	59.369	273-03-04	3.160	-59.285	104811.982	6259.387	59.284		187.334891
									倍面積	12768.760568
									面積	6384.3802841

座標面積計算書2 (倍橫距法)

[地番 : 28-2]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	28B 34	90-00-47	9.582	273-03-04	0.510	-9.569	104808.822	6318.672	-9.569		-4.880444
	28B 35	90-00-00	36.933	183-03-51	-36.881	-1.975	104771.941	6316.697	-21.112		778.614589
	28B 33	90-00-00	30.000	93-03-51	-1.603	29.957	104770.338	6346.654	6.871		-11.018244
	28B 19	180-12-51	30.058	3-03-51	30.015	1.607	104800.353	6348.261	38.435		1153.626645
	28B 20	134-39-54	3.350	3-16-42	3.345	0.192	104803.698	6348.453	40.233		134.573064
	28B 21	135-11-11	4.977	317-56-36	3.695	-3.334	104807.393	6345.119	37.091		137.052132
	28B 22	179-56-22	12.911	273-07-47	0.705	-12.892	104808.098	6332.227	20.866		14.708532
	28B 23	179-58-55	3.993	273-04-09	0.214	-3.986	104808.312	6328.241	3.987		0.852291
										倍面積	2203.528567
										面積	1101.7642839

座標データリスト

現場名：塩原町関谷地区

No	点名	X	Y	No	点名	X	Y
1	30B 1	104731.9838376	6233.9596144	26	30B 26	104699.4504387	6296.3228729
2	30B 2	104726.9218350	6235.3511196	27	30B 27	104697.9869492	6297.9086194
3	30B 3	104703.0439824	6260.3873090	28	30B 28	104688.6909511	6307.9811860
4	30B 4	104683.4167791	6283.1993399	29	30B 29	104688.1055292	6308.6155128
5	30B 5	104664.0217977	6303.4933803	30	30B 30	104673.6996892	6324.2247871
6	30B 6	104662.6785453	6304.9099444	31	30B 31	104710.5455312	6309.5087830
7	30B 7	104663.0039187	6314.9058851	32	30B 32	104758.9568042	6257.1207732
8	30B 8	104666.6486141	6318.2775065	33	30B 33	104751.2414514	6239.0582794
9	30B 9	104668.1614269	6319.6329803	34	30B 34	104705.6238782	6257.6822601
10	30B 10	104669.6721492	6320.9527663	35	30B 35	104694.0116799	6270.8852471
11	30B 11	104672.7486428	6323.4907272	36	30B 36	104684.2642733	6282.2143262
12	30B 12	104674.3281923	6324.7098937	37	30B 37	104673.3041883	6293.7807023
13	30B 13	104677.6115956	6327.0043235	38	30B 38	104672.7077127	6294.4048276
14	30B 14	104679.2704346	6328.0968358	39	30B 39	104745.7933422	6244.9514628
15	30B 15	104682.7877635	6330.2438109				
16	30B 16	104685.7667266	6331.9034509				
17	30B 17	104690.6803379	6331.0152606				
18	30B 18	104767.2385884	6248.1624224				
19	30B 19	104765.9549749	6243.3198885				
20	30B 20	104764.5072927	6242.8931826				
21	30B 21	104741.4245058	6236.2203866				
22	30B 22	104739.1111171	6235.5731668				
23	30B 23	104734.1055336	6284.0022271				
24	30B 24	104721.5778712	6272.4253838				
25	30B 25	104709.6034653	6285.3784460				

座標面積計算書 2 (倍橫距法)

[地番 : 30]	地名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	30B 20		179-42-02	1.509	196-25-23	-1.448	-0.427	104764.507	6242.893	-0.427		0.617734
	30B 21		179-30-23	24.028	196-07-25	-23.082	-6.673	104741.425	6236.220	-7.526		173.725848
	30B 22		177-07-34	2.402	195-37-48	-2.314	-0.647	104739.111	6235.573	-14.846		34.345086
	30B 1		151-52-24	7.308	192-45-22	-7.127	-1.613	104731.984	6233.960	-17.107		121.926339
	30B 2		149-00-50	5.250	164-37-46	-5.062	1.391	104726.922	6235.351	-17.329		87.719660
	30B 3		177-03-54	34.597	133-38-36	-23.878	25.036	104703.044	6260.387	9.099		-217.256262
	30B 4		182-59-38	30.093	130-42-30	-19.627	22.812	104683.417	6283.199	56.947		-1117.707831
	30B 5		179-46-34	28.072	133-42-08	-19.395	20.294	104664.022	6303.493	100.053		-1940.524976
	30B 6		134-39-26	1.952	133-28-42	-1.343	1.417	104662.679	6304.910	121.764		-163.559184
	30B 7		134-38-08	10.001	88-08-08	0.325	9.996	104663.004	6314.906	133.176		43.331945
	30B 8		179-05-21	4.965	42-46-16	3.645	3.372	104666.649	6318.278	146.544		534.106848
	30B 9		179-16-50	2.031	41-51-37	1.512	1.355	104668.161	6319.633	151.271		228.844258
	30B 10		178-22-49	2.006	41-08-27	1.511	1.320	104669.672	6320.953	153.946		232.569606
	30B 11		178-08-29	3.988	39-31-16	3.077	2.538	104672.749	6323.491	157.804		485.482123
	30B 12		177-17-00	1.995	37-39-45	1.579	1.219	104674.328	6324.710	161.561		255.193353
	30B 13		178-25-23	4.006	34-56-45	3.284	2.294	104677.612	6327.004	165.074		542.005958
	30B 14		178-01-52	1.986	33-22-08	1.658	1.093	104679.270	6328.097	168.461		279.450325
	30B 15		177-43-23	4.121	31-24-00	3.518	2.147	104682.788	6330.244	171.701		603.928421
	30B 16		140-37-51	3.410	29-07-23	2.979	1.659	104685.767	6331.903	175.507		522.830325
	30B 17		142-58-27	4.993	349-45-14	4.913	-0.888	104690.680	6331.015	176.279		866.166154
	30B 23		180-01-29	64.000	312-43-41	43.426	-47.013	104734.106	6284.002	128.378		5574.827217
	30B 18		122-24-04	48.809	312-45-10	33.133	-35.840	104767.239	6248.162	45.525		1508.378095
	30B 19		121-16-09	5.010	255-09-14	-1.284	-4.842	104765.955	6243.320	4.843		-6.215941
											倍面積	8650.185107
											面積	4325.0925535

座標面積計算書2 (倍横距法)

[地番 : 30-1]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	30B 19	121-16-09	5.010	255-09-14	-1.284	-4.842	104765.955	6243.320	-4.843		6.215941
	30B 20	179-42-02	1.509	196-25-23	-1.448	-0.427	104764.507	6242.893	-10.112		14.638635
	30B 33	116-37-45	13.809	196-07-25	-13.266	-3.835	104751.241	6239.058	-14.373		190.675014
	30B 39	90-00-00	8.026	132-45-10	-5.448	5.893	104745.793	6244.951	-12.315		67.094023
	30B 32	90-00-00	17.927	42-45-10	13.164	12.170	104758.957	6257.121	5.747		75.655566
	30B 18	122-24-04	12.200	312-45-10	8.282	-8.959	104767.239	6248.162	8.958		74.191128
										倍面積	428.470308
										面積	214.2351544

座標面積計算書2 (倍横距法)

[地番 : 30-2]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	30B 33	63-22-15	8.026	312-45-10	5.448	-5.893	104751.241	6239.058	-5.893		-32.106706
	30B 21	179-30-23	10.219	196-07-25	-9.816	-2.838	104741.425	6236.220	-14.624		143.565561
	30B 22	177-07-34	2.402	195-37-48	-2.314	-0.647	104739.111	6235.573	-18.109		41.894017
	30B 1	151-52-24	7.308	192-45-22	-7.127	-1.613	104731.984	6233.960	-20.370		145.183712
	30B 2	149-00-50	5.250	164-37-46	-5.062	1.391	104726.922	6235.351	-20.592		104.237727
	30B 34	89-05-52	30.859	133-38-36	-21.298	22.331	104705.624	6257.682	3.130		-66.672273
	30B 23	90-00-42	38.781	42-44-28	28.482	26.320	104734.106	6284.002	51.782		1474.824589
	30B 32	90-00-00	36.609	312-45-10	24.851	-26.881	104758.957	6257.121	51.220		1272.883933
	30B 39	270-00-00	17.927	222-45-10	-13.164	-12.170	104745.793	6244.951	12.169		-160.190254
										倍面積	2923.620309
										面積	1461.8101545

座標面積計算書2 (倍横距法)

[地番 : 30-3]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	30B 31		90-00-00	29.277	312-43-41	19.866	-21.506	104710.546	6309.509	-21.506		-427.230333
	30B 27		89-58-33	17.096	222-43-41	-12.559	-11.600	104697.987	6297.909	-54.613		685.863328
	30B 30		84-57-31	35.811	132-42-14	-24.287	26.316	104673.700	6324.225	-39.897		968.991597
	30B 12		177-17-00	0.794	37-39-45	0.628	0.485	104674.328	6324.710	-13.096		-8.230776
	30B 13		178-25-23	4.006	34-56-45	3.284	2.294	104677.612	6327.004	-10.316		-33.872586
	30B 14		178-01-52	1.986	33-22-08	1.658	1.093	104679.270	6328.097	-6.929		-11.494696
	30B 15		177-43-23	4.121	31-24-00	3.518	2.147	104682.788	6330.244	-3.690		-12.978502
	30B 16		140-37-51	3.410	29-07-23	2.979	1.659	104685.767	6331.903	0.117		0.347765
	30B 17		142-58-27	4.993	349-45-14	4.913	-0.888	104690.680	6331.015	0.888		4.364221
											倍面積	1165.760019
											面積	582.8800095

座標面積計算書2 (倍横距法)

[地番 : 30-4]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	30B 38		90-59-54	20.953	222-42-14	-15.398	-14.211	104672.708	6294.405	-14.211		218.813522
	30B 5		179-46-34	12.572	133-42-08	-8.686	9.088	104664.022	6303.493	-19.333		167.923211
	30B 6		134-39-26	1.952	133-28-42	-1.343	1.417	104662.679	6304.910	-8.828		11.857830
	30B 7		134-38-08	10.001	88-08-08	0.325	9.996	104663.004	6314.906	2.585		0.841026
	30B 8		179-05-21	4.965	42-46-16	3.645	3.372	104666.649	6318.278	15.952		58.141516
	30B 9		179-16-50	2.031	41-51-37	1.512	1.355	104668.161	6319.633	20.679		31.284152
	30B 10		178-22-49	2.006	41-08-27	1.511	1.320	104669.672	6320.953	23.355		35.282497
	30B 11		178-08-29	3.988	39-31-16	3.077	2.538	104672.749	6323.491	27.212		83.718983
	30B 30		95-02-29	1.201	37-39-45	0.951	0.734	104673.700	6324.225	30.484		28.992163
	30B 29		90-00-00	21.241	312-42-14	14.406	-15.609	104688.106	6308.616	15.609		224.864708
											倍面積	861.719612
											面積	430.8598063

座標面積計算書2 (倍横距法)

[地番 : 30-5]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	30B 28		90-00-00	0.863	312-42-14	0.585	-0.635	104688.691	6307.981	-0.634		-0.371348
	30B 37		90-59-54	20.938	222-42-14	-15.387	-14.200	104673.304	6293.781	-15.469		238.019945
	30B 38		89-00-06	0.863	133-42-08	-0.596	0.624	104672.708	6294.405	-29.045		17.324927
	30B 29		90-00-00	20.953	42-42-14	15.398	14.211	104688.106	6308.616	-14.211		-218.813522
											倍面積	36.160001
											面積	18.0800009

座標面積計算書2 (倍横距法)

[地番 : 30-6]	点名	地目 :	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	30B 26		90-11-22	15.865	312-42-14	10.759	-11.658	104699.450	6296.323	-11.658		-125.437475
	30B 36		87-48-54	20.728	222-53-36	-15.186	-14.109	104684.264	6282.214	-37.425		568.344865
	30B 4		182-59-38	1.299	130-42-30	-0.847	0.985	104683.417	6283.199	-50.549		42.839733
	30B 37		89-00-06	14.637	133-42-08	-10.113	10.582	104673.304	6293.781	-38.982		394.212351
	30B 28		90-00-00	20.938	42-42-14	15.387	14.200	104688.691	6307.981	-14.200		-218.499474
											倍面積	661.460001
											面積	330.7300009

座標面積計算書2 (倍横距法)

[地番 : 30-7]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	30B 25	90-03-25	14.929	312-51-06	10.153	-10.945	104709.603	6285.378	-10.944		-111.119057
	30B 35	87-47-59	21.287	222-54-31	-15.591	-14.493	104694.012	6270.885	-36.382		567.261160
	30B 36	92-11-06	14.945	130-42-30	-9.748	11.329	104684.264	6282.214	-39.546		385.472622
	30B 26	89-57-30	20.728	42-53-36	15.186	14.109	104699.450	6296.323	-14.109		-214.254724
										倍面積	627.360001
										面積	313.6800009

座標面積計算書2 (倍横距法)

[地番 : 30-8]	点名	水平角	地目 : 距離	方向角	d x	d y	X	Y	Y + Y	(X - X)	(Y + Y)
	30B 24	89-59-22	17.640	312-45-06	11.975	-12.953	104721.578	6272.425	-12.953		-155.105225
	30B 34	90-54-08	21.723	222-44-28	-15.954	-14.743	104705.624	6257.682	-40.649		648.517822
	30B 3	177-03-54	3.738	133-38-36	-2.580	2.705	104703.044	6260.387	-52.687		135.927803
	30B 35	92-12-01	13.849	130-42-30	-9.032	10.498	104694.012	6270.885	-39.484		356.634467
	30B 25	89-50-35	21.287	42-54-31	15.591	14.493	104709.603	6285.378	-14.493		-225.974848
										倍面積	760.000019
										面積	380.0000099

座標面積計算書2 (倍横距法)

[地番: 30-9]	地名	地目:	水平角	距離	方向角	d x	d y	X	Y	Y+Y	(X-X)	(Y+Y)
	30B 23		90-00-47	34.723	312-43-41	23.560	-25.507	104734.106	6284.002	-25.507	-600.934520	
	30B 24		90-00-38	17.058	222-44-28	-12.528	-11.577	104721.578	6272.425	-62.590	784.105825	
	30B 25		180-06-00	17.640	132-45-06	-11.975	12.953	104709.603	6285.378	-61.214	732.998124	
	30B 26		179-51-08	14.929	132-51-06	-10.153	10.945	104699.450	6296.323	-37.316	378.872847	
	30B 27		90-01-27	2.158	132-42-14	-1.463	1.586	104697.987	6297.909	-24.786	36.274160	
	30B 31		90-00-00	17.096	42-43-41	12.559	11.600	104710.546	6309.509	-11.600	-145.681605	
										倍面積	1185.634932	
										面積	592.8174161	